

# KAPTURE<sup>™</sup>

ENERGY ABSORBING  
WEBBING LANYARD

## TECHNICAL DATA SHEET



**ELITE**

**ESSENTIAL**

KStrong has developed a range of Shock Absorbing Webbing Lanyards to ensure the user is protected when working at heights. The shock absorber effectively arrests the fall, minimising the forces to the body.

# KAPTURE<sup>™</sup>

## ELITE ENERGY ABSORBING 30MM WEBBING LANYARD



ENERGY ABSORBING 30MM WEBBING LANYARD

**AFL408131**



ENERGY ABSORBING 30MM WEBBING LANYARD

**AFL408141**



ENERGY ABSORBING 30MM WEBBING FORKED LANYARD

**AFL408612**

# KAPTURE<sup>™</sup>

## ESSENTIAL ENERGY ABSORBING 30MM WEBBING LANYARD



ENERGY ABSORBING 30MM WEBBING LANYARD

**AFL401111**



ENERGY ABSORBING 30MM WEBBING LANYARD

**AFL401140**



ENERGY ABSORBING 30MM WEBBING FORKED LANYARD

**AFL401612**

# KAPTURE<sup>™</sup>

## ENERGY ABSORBING WEBBING LANYARD

LANYARD CODES						
FEATURES	AFL408131	AFL408141	AFL408612	AFL401111	AFL401140	AFL401612
LANYARD WEIGHT						
	0.885kg	1.19kg	1.82kg	0.77kg	1.16kg	1.82kg
FEATURES						
30MM WEBBING	✓	✓	✓	✓	✓	✓
SNAP HOOK	✓	✓	✓			
TWIST LOCK KARABINER				✓	✓	✓
SCAFFOLD HOOK		✓	✓		✓	✓
LABEL PACK	✓	✓	✓	✓	✓	✓
ENERGY ABSORBER	✓	✓	✓	✓	✓	✓
COMPASS ASSET TECHNOLOGY	✓	✓	✓	✓	✓	✓
LENGTH IN METERS						
	1.8m	1.8m	1.8m	1.8m	1.8m	1.8m
CAPACITY						
	100kg	100kg	100kg	100kg	100kg	100kg
RELEVANT STANDARDS						
EN 355:2002	✓	✓	✓	✓	✓	✓
<b>10 Year Shelf Life From Date Of Manufacture.</b>						

# **KAPTURE**<sup>™</sup>

## ENERGY ABSORBING WEBBING LANYARD

### MATERIAL SPECIFICATIONS

#### WEBBING

- Polyester 30MM wide
- MBS 25kN

#### THREAD / STITCHING

- High Tenacity Polyester (Colour Contrasted)

#### METAL COMPONENTS

- Karabiners (AFC601100) Steel- MBS 25kN
- Steel Snap Hooks- MBS 23kN
- Scaffold Hook (AFC608111) Steel- MBS 23kN
- D Ring (DR007)- MBS 23kN
- Finish- Golden Yellow Galvanized

#### ENERGY ABSORBER

- 44mm Polyester Back Up Webbing
- 44mm Polyamide Tear Webbing
- Clear Protective Covering