

USER INSTRUCTION MANUAL
EDGE PROTECTOR





THESE INSTRUCTIONS APPLY TO THE FOLLOWING MODEL:

AFX203001

Please read and understand the manufacturer's instructions for each component or part of the complete system. Manufacturer's instructions must be followed for proper use, care, and maintenance of this product. These instructions must be retained and be kept available for the user's reference at all times. Alterations or misuse of this product, or failure to follow instructions, may result in serious injury or death.

Note: The user is advised to keep this user instructions document for the life of the product.

1. **INTRODUCTION:** This Angle Shaped Edge Protector AFX203001 protects the rope from abrasion against an edge. The edge ring guides on the angle of the edge-protector to keep multiple anchor lines from getting entangled over the edge.
2. **INSPECTION:** Visually inspect the system before each use to ensure that it is in a serviceable condition and is operating correctly. If during inspection, doubts are raised about the safety of the system or a component, these should be replaced either by the manufacturer or a competent person.
3. **INSTRUCTIONS FOR USAGE:** To use this product follow the steps given below-



4. LIMITATIONS

- The product should be the personal property of its user.
 - It should not be used in highly acidic or basic environment.
5. **REPAIR:** If the product becomes damaged, it will NOT provide the optimum level of protection, and therefore should be immediately removed from service. It needs to be inspected to see if it is replaced or repaired. Never use the damaged product. Repair is only permitted by the manufacturer or a nominated repair centre or individual approved by the manufacturer.
 6. **CLEANING:** In case of minor soiling, wipe the product with cotton cloth or a soft brush. Do not use any abrasive material. For intensive cleaning wash the product in water at a temperature between 30°C to 60°C by using a neutral detergent (pH+7). The washing temperature should not exceed 60°C. Do not use acid or basic detergents.



KStrong Inc.
150 N. Radnor Chester Road Suite F200
Radnor, Pennsylvania 19087 United States
Contact Email: customer care@kstrong.com

www.kstrong.com

USA

South America

ASIA
