



USER INSTRUCTION MANUAL
SUSPENSION TRAUMA STRAP

THESE INSTRUCTIONS APPLY TO THE FOLLOWING MODEL:

AFZ150100







Please read and understand the manufacturer's instructions for each component or part of the complete system. Manufacturer's instructions must be followed for proper use, care, and maintenance of this product. These instructions must be retained and be kept available for the user's reference at all times. Alterations or misuse of this product, or failure to follow instructions, may result in serious injury or death.

Note: The user is advised to keep this user instructions document for the life of the product.


1. Care by KStrong even after a Fall !

- Avoid the effects of Suspension Trauma with the use of KStrong Suspension Trauma Strap.
- Extremely effective, specially designed to help relieve the negative effects of Suspension Trauma.
- Compact and Light-weight. Does not hamper the activity of worker while at work.
- Allows the suspended worker to stand up in his harness to relieve pressure.
- Easy to attach to the Harness with the help of the textile loop and velcro provided.
- Easy deployment, operation is fool-proof.

STEPS TO USE

 <p>Un-zip the pouches fitted on both sides of Harness</p> <p>1</p>	 <p>Hold the 2 straps together</p> <p>2</p>
 <p>Connect the straps with each other making a loop with the help of easy-to-use buckle</p> <p>3</p>	 <p>Put your feet into the loop</p> <p>4</p>
 <p>Stand onto the loop, so that the thigh strap are free to move</p> <p>5</p>	 <p>Adjust the sit strap towards the front to release pressure and give a seat-posture</p> <p>6</p>


HOW TO RETROFIT THE SUSPENSION TRAUMA STRAP:



The case strap is to be slipped through the harness loops containing the leg strap.



Now the case is to be passed through the harness loop to choke it down on the harness loop.



To hold the case in place, the tabs are to be wrapped around one harness strap & connect the snaps.

2. INSPECTION :

Regular Inspection is recommended prior to using this STS with harness. It can be used on numerous occasions if it has been inspected prior to use and shows no sign of damage.

3. CAPACITY / USER WEIGHT :

SWL or Max user weight - 140kg.

4. MARKING ON PRODUCT:

The suspension trauma strap is marked with :

- i) Identification of the manufacturer
- ii) Type or product code
- iii) Month and Year of Manufacture
- iv) UID for Traceability
- v) Material

MARKING

KSTRONG® UNRIVALED SAFETY. (i)

SUSPENSION TRAUMA STRAP

Model : AFZ150100 (ii)

DOM : MM/YYYY (iii)

Material : Polyester (v)

UID: XXXXXXXXXXXX (iv)

140 kg
Max. Rated Load (Including all tools)

QR CODE

KStrong Inc.
150 N. Radnor Chester Road Suite F200,
Radnor Pennsylvania 19087, United States
KStrong.com Made in India

5. HOW TO DISPOSE A SUSPENSION TRAUMA STRAP:

When the suspension trauma strap becomes unfit or in case of any wear and tear, dispose it immediately.

Follow the steps for Disposal:

- Segregate the equipment in three different crates for placing components in them respectively as- Textile, Metal and Plastic.
- Hold the suspension TRAUMA strap from Dorsal D-ring.
- Inspect the wear & tear present on the suspension trauma strap.
- Now, using a sharp pair of scissors first cut the Textile and dismantle the suspension trauma strap.
- Now remove the metal & plastic components separately from the suspension trauma strap.
- Put the Textile, Plastic & Metal components in their respective plastic crates.

LIFESPAN: The estimated product Lifespan is 10 years from the date of manufacture. The following factors can reduce the Lifespan of the product: intense use, contact with chemical substances, specially aggressive environments, extreme temperature exposure, UV exposure, abrasions, cuts, violent impacts, bad use or maintenance.

DISCLAIMER: Prior to use, the end user must read and understand the manufacturer's instructions supplied with this product at the time of shipment and seek training from their employer's trained personnel on the proper usage of the product. Manufacturer is not liable or responsible for any loss, damage or injury caused or incurred by any person on grounds of improper usage or installation of this product.

EQUIPMENT RECORD				
Product				
Model & type/Identification		Trade Name		Identification number
Manufacturer		Address		Tel, email into use
Year of manufacture		Purchase Date		Date first put into use
Other relevant information (eg. document number)				
PERIODIC EXAMINATION AND REPAIR HISTORY				
Date	Reason for entry (periodic examination or repair)	Defects noted, repairs carried out and other relevant information	Name and signature of competent person	Periodic examination next due date



KStrong Inc.
 150 N. Radnor Chester Road Suite F200
 Radnor, Pennsylvania 19087 United States
 Contact number : 1-833-KSTRONG

www.kstrong.com

USA South America ASIA

AKS-AFZ150100-040521-V2