

ECOR

**ENERGY ABSORBING ADJUSTABLE SHARP
EDGE KERNMANTLE ROPE LANYARD**

TECHNICAL DATA SHEET



KStrong has developed a range of Adjustable Sharp Edge Kernmantle Rope Energy Absorbing Lanyards to ensure the user is protected when working near sharp edges on roofs or structures. It effectively arrests a fall, minimising forces to the body.

ECOR

ENERGY ABSORBING ADJUSTABLE SHARP EDGE KERNMANTLE ROPE LANYARD



Energy Absorbing Adjustable Sharp Edge Kernmantle Rope Lanyard c/w Snap hooks

ANL402601(AD)



Energy Absorbing Adjustable Sharp Edge Kernmantle Rope Lanyard c/w Snap hook and Scaffold hook

ANL402611(AD)



Energy Absorbing Adjustable Sharp Edge Kernmantle Rope Twin Leg Lanyard c/w Snap hook and Scaffold hooks

ANL402651(AD)

ECOR

ENERGY ABSORBING ADJUSTABLE SHARP EDGE KERNMANTLE ROPE LANYARD

LANYARD CODES			
FEATURES	ANL402601(AD)	ANL402611(AD)	ANL402651(AD)
WEIGHT			
	1.4kg	1.5kg	2.5kg
FEATURES			
11 MM KERNMANTLE ROPE	✓	✓	✓
SNAP HOOK	✓	✓	✓
SCAFFOLD HOOK		✓	✓
ABRASION RESISTANT THIMBLES	✓	✓	✓
LABEL PACK	✓	✓	✓
ENERGY ABSORBER	✓	✓	✓
COMPASS ASSET TECHNOLOGY	✓	✓	✓
LENGTH IN METERS			
	2m	2m	2m
CAPACITY			
	140kg	140kg	140kg
RELEVANT STANDARDS			
AS 1891.5:2020	✓	✓	✓
10 Year Shelf Life From Date Of Manufacture.			

ECOR

ENERGY ABSORBING ADJUSTABLE SHARP EDGE KERNMANTLE ROPE LANYARD

MATERIAL SPECIFICATIONS

KERNMANTLE ROPE

- 11MM High Tenacity Polyester Rope
- MBS 25kN

THREAD / STITCHING

- High Tenacity Polyester (Colour Contrasted)

METAL COMPONENTS

- ANSI Steel Snap Hook - MBS 23kN
- ANSI Scaffold Hook Steel - MBS 23kN
- Finish - Silver Galvanized

ENERGY ABSORBER

- 44mm Polyester Back Up Webbing
- 44mm Polyamide Tear Webbing
- Clear Protective Covering