

KTECH™

RESCUE/CLIMBING HELMET



KTECH Rescue/Climbing Helmet is well ventilated with PP shell & high-density EPS foam. It is very comfortable and fits various head sizes. The helmet comes with 4 clip-carrying external headlamps, a new Up-N-Down size adjustment system with a central ratchet wheel, and two lateral finger push winglets that guarantees that the helmet fits securely on the head. The adjustable leather chinstrap makes it ideal for both work-at-heights and on the ground. It has ventilation holes to allow airflow through the helmet and is integrated with a retractable visor.

KTECH[™]

RESCUE/CLIMBING HELMET

AHC101001R



AHC101001W



AHC101001O



AHC101002



KTECH[™]

RESCUE/CLIMBING HELMET

	KTECH HELMET CODES			
	AHC101001R	AHC101001W	AHC101001O	AHC101002
FEATURES				
High-Density Polypropylene Shell	✓	✓	✓	
Quick-Release Ratchet Adjuster	✓	✓	✓	
Up & Down System	✓	✓	✓	
Leather Chin Strap	✓	✓	✓	
Carrying Clips	✓	✓	✓	
Ventilation Intake Holes	✓	✓	✓	
Anti-Intrusion Grille	✓	✓	✓	
Visor Attachment	✓	✓	✓	
Nylon Clips	✓	✓	✓	
Anti UV				✓
Anti Fog				✓
Scratch Resistant				✓
RELEVANT STANDARDS				
EN 12492:2012	✓	✓	✓	
EN 166:2001	✓	✓	✓	
EN 166, EN 174				✓

KTECH[™]

RESCUE/CLIMBING HELMET

	KTECH HELMET CODES			
	AHC101001R	AHC101001W	AHC101001O	AHC101002
SUITABLE FOR				
Construction	✓	✓	✓	✓
Maintenance	✓	✓	✓	✓
Fall Arrest	✓	✓	✓	✓
Ladder Safety Systems	✓	✓	✓	✓
Roof Work	✓	✓	✓	✓
Telecommunications	✓	✓	✓	✓
Elevated Work Platforms	✓	✓	✓	✓
Confined Space Entry	✓	✓	✓	✓
Climbing	✓	✓	✓	✓
Tower / Pole Work	✓	✓	✓	✓
Rescue / Rope Access	✓	✓	✓	✓
Welding / Hot Works	✓	✓	✓	✓
Wet & Corrosive Enviroments	✓	✓	✓	✓
Offshore	✓	✓	✓	✓
Electrical	✓	✓	✓	✓

KTECH[™]

RESCUE/CLIMBING HELMET

MATERIAL SPECIFICATION

EXTERNAL SHELL

Helmet: Polypropylene
Visor: Polycarbonate lens

SIZE

Universal-adjustable from 51 to 62 cm headform

WEIGHT

Helmet: 410g
Visor: 60g

COLOUR

Helmet: Red/White/Orange
Visor: Clear

STANDARDS

Helmet: EN 12492:2012 & EN166:2001
Visor: EN 166, EN 174

HOW TO USE

Refer to User Instruction Manual 

