STATEMENT OF CONFORMANCE & WARRANTY
IMPAXX HORIZONTAL LIFELINE SYSTEMS

SOC

Product Certification

Code	System
AFF4000	IMPAXX CONSTEEL Horizontal Lifeline System – Floor, Wall & Overhead Mounted
AFF4000LS	IMPAXX LONGSPAN Horizontal Lifeline System – Wall & Overhead Mounted

KStrong certifies that the specified Horizontal Lifeline Systems are designed, manufactured and tested in accordance with the following standards:

Standard	Scope	Applies To
EN 795:2012 Type C	Personal fall protection equipment – Anchor devices	AFF4000 AFF4000LS
CEN/TS 16415:2013 Type C	Anchor devices for use by more than one person simultaneously	AFF4000 – 4 Users AFF4000LS – 7 Users
EN ISO 80079-36:2016 & EN ISO 80079-37:2016 (ATEX)	Use in potentially explosive atmospheres	AFF4000

The IMPAXX Horizontal Lifeline Systems User Instruction Manual (UIM) has also been aligned to AS/NZS 1891.2:2001 Industrial fall-arrest systems and devices – Horizontal lifeline and rail systems, Section 5 Instructions & Marking. For supplementary information regarding fall protection systems used in Australia and New Zealand, see AS/NZS 1891.4:2025 Selection, use and maintenance.

Certificates Sighted

Code	Certificate No.	Certification Body
AFF4000	PPE 23826 AC 476	ANCCP Certification Agency (EN 795 / CEN/TS 16415)
AFF4000	TI24ATEX 16980 X	Technická inšpekcia, a.s. (ATEX)
AFF4000LS	RQC2025-184/A1	Quintin Certifications (EN 795 / CEN/TS 16415)

Copies of certificates and test reports are available from KStrong on request.

Disclaimer

The information provided in this statement is based on technical data obtained by KStrong under laboratory conditions and is believed to be reliable; however, KStrong makes no guarantees regarding results and assumes no liability or obligation arising from the use of this information. Since conditions of end use are beyond KStrong's control, it is the user's responsibility to assess hazard levels, determine product suitability for the intended application, and ensure the use of appropriate personal protective equipment.

All KStrong lifeline systems must be installed, used, inspected and maintained strictly in accordance with the UIM, by trained and competent personnel. The suitability of the anchorage structure and the system design must be verified by a competent person and/or qualified engineer. Installation not in accordance with the UIM, alteration of the system, or the use of non-KStrong components will void all certification and warranties.

www.KStrong.com/australia
customercare@kstrong.com.au

Product Warranty

Applies to: AFF4000 IMPAXX CONSTEEL Horizontal Lifeline System and AFF4000LS IMPAXX LONGSPAN Horizontal Lifeline System.

All KStrong products are manufactured under strict quality control and tested in accordance with relevant international standards to ensure reliability, durability, and user safety.

KStrong warrants that its products are free from manufacturing defects in material and workmanship for a period of two (2) years from the date of purchase, unless otherwise specified. This warranty applies under normal conditions of use, storage, and maintenance as described in the User Instruction Manual (UIM).

Warranty Conditions - This warranty is valid only when:

- The product has been used strictly in accordance with manufacturer guidelines and safety instructions.
- The product has been installed, maintained, and inspected by trained and competent personnel.
- The product has not been altered, modified, or repaired by any unauthorized party.
- The product has not been exposed to misuse, negligence, or abnormal conditions (e.g. chemical contamination, fire, impact, or excessive loading).
- The product is registered with KStrong at the time of purchase or installation, where applicable.

Exclusions - This warranty does not cover:

- Normal wear and tear resulting from regular use.
- Damage due to improper installation, storage, or maintenance.
- Products that have been subjected to a fall arrest or load event.
- Unauthorized modifications or repairs.
- Damage, corrosion, deterioration or system failure caused or contributed to by a failure to complete and document the inspection, cleaning and maintenance required by the site-specific risk assessment. The assessment must set an interval of one to three months based on environmental exposure, with earlier cleaning where significant contamination is found.
- Consequential or incidental damages arising from product failure.

Warranty Claims - To make a warranty claim:

- The client must notify KStrong or the authorized distributor in writing, providing full details of the issue, including proof of purchase, serial number, and system identification.
- The product must be returned to KStrong or its designated service centre for inspection and evaluation.
- If the defect is confirmed to be due to faulty materials or workmanship, KStrong will, at its discretion, repair or replace the product free of charge.

KStrong reserves the right to determine the validity of all warranty claims, and its decision shall be considered final and binding.

Warranty Disclaimer

This warranty is in addition to, and does not affect, the consumer's statutory rights under applicable local laws.

KStrong liability under this warranty is limited strictly to the repair or replacement of the defective product and does not extend to any indirect, incidental, or consequential damages

Inspection

The lifeline system, and the surrounding anchorage structure, must be inspected by a competent person no less than once every 12 months, and must meet all specific criteria set out in the inspection record for that system.

www.KStrong.com/australia
customercare@kstrong.com.au