

ECOR

ELASTICATED ENERGY ABSORBING

WEBBING LANYARD

TECHNICAL DATA SHEET



KStrong has developed a range of elasticated energy-absorbing lanyards to effectively arrest a fall, minimizing the forces to the body with the added benefit of reducing the overall length when relaxed, ensuring the user can work without tripping or falling over when not in use.

ECOR

ENERGY ABSORBING ELASTICATED WEBBING LANYARD



Energy Absorbing Elasticated Webbing Lanyard C/W Snap Hooks

ANL408283



Energy Absorbing Elasticated Webbing Lanyard C/W Snap & Scaffold Hook

ANL408284



Energy Absorbing Elasticated Webbing Twin Leg Lanyard C/W Snap & Scaffold Hooks

ANL408389

ECOR

ENERGY ABSORBING ELASTICATED WEBBING LANYARD

LANYARD CODES			
FEATURES	ANL408283	ANL408284	ANL408389
WEIGHT			
	1.1kg	1.3kg	2kg
FEATURES			
25MM WEBBING	✓	✓	✓
SNAP HOOK	✓	✓	✓
SCAFFOLD HOOK		✓	✓
LABEL PACK	✓	✓	✓
ENERGY ABSORBER	✓	✓	✓
COMPASS ASSET TECHNOLOGY	✓	✓	✓
EXPANDED LENGTH IN METERS			
	2m	2m	2m
RELEASED LENGTH IN METERS			
	1.4m	1.4m	1.4m
CAPACITY			
	140kg	140kg	140kg
RELEVANT STANDARDS			
AS 1891.5:2020	✓	✓	✓
10 Year Shelf Life From Date Of Manufacture.			

ECOR

ENERGY ABSORBING ELASTICATED WEBBING LANAYRD

MATERIAL SPECIFICATIONS

WEBBING

- Polyester 25mm wide
- MBS 25kN

THREAD / STITCHING

- High Tenacity Polyester (Colour Contrasted)

METAL COMPONENTS

- Steel Snap Hooks - MBS 23kN & Gate strength 6kN
- Scaffold Hook Steel - MBS 23kN & Gate strength 6kN
- Finish - Silver Galvanized

ENERGY ABSORBER

- 44mm Polyester Back Up Webbing
- 44mm Polyamide Tear Webbing
- Protective Covering