

EPIC

ENERGY ABSORBING ELASTICATED WEBBING LANYARD

TECHNICAL DATA SHEET



KStrong has developed a range of elasticated energy-absorbing lanyards to effectively arrest a fall, minimizing the forces to the body with the added benefit of reducing the overall length when relaxed, ensuring the user can work without tripping or falling over when not in use.

EPIC

ENERGY ABSORBING ELASTICATED WEBBING LANYARD



Energy Absorbing Elasticated Webbing Lanyard

ANL408211



Energy Absorbing Elasticated Webbing Lanyard

ANL408251



Energy Absorbing Elasticated Webbing Forked Lanyard

ANL408341

EPIC

ENERGY ABSORBING ELASTICATED WEBBING LANYARD

LANYARD CODES			
FEATURES	ANL408211	ANL408251	ANL408341
WEIGHT			
	644gm	1060gm	1.76kg
FEATURES			
25MM WEBBING	✓	✓	✓
ALUMINUM TRIPLE ACTION KARABINER	✓	✓	✓
ALUMINUM SCAFFOLD HOOK		✓	✓
LABEL PACK	✓	✓	✓
ENERGY ABSORBER	✓	✓	✓
COMPASS ASSET TECHNOLOGY	✓	✓	✓
EXPANDED LENGTH IN METERS			
	2m	2m	2m
RELEASED LENGTH IN METERS			
	1.4m	1.4m	1.4m
CAPACITY			
	140kg	140kg	140kg
RELEVANT STANDARDS			
AS 1891.5:2020	✓	✓	✓
10 Year Shelf Life From Date Of Manufacture.			

EPIC

ENERGY ABSORBING ELASTICATED WEBBING LANYARD

MATERIAL SPECIFICATIONS

WEBBING

- Polyester 25mm wide
- MBS 25kN

THREAD / STITCHING

- High Tenacity Polyester (Colour Contrasted)

METAL COMPONENTS

- Aluminum Triple Action Karabiner - MBS 23kN & Gate strength 16kN
- Aluminum Scaffold Hook - MBS 23kN & Gate strength 16kN
- Finish - Silver

ENERGY ABSORBER

- 44mm Polyester Back Up Webbing
- 44mm Polyamide Tear Webbing
- Clear Protective Covering