

KTECH™

RESCUE/CLIMBING HELMET



KTECH Rescue/Climbing Helmet is well ventilated with PP shell & high-density EPS foam. It is very comfortable and fits various head sizes. The helmet comes with 4 clip-carrying external headlamps, a new Up-N-Down size adjustment system with a central ratchet wheel, and two lateral finger push winglets that guarantees that the helmet fits securely on the head. The adjustable leather chinstrap makes it ideal for both work-at-heights and on the ground. It has ventilation holes to allow airflow through the helmet and is integrated with a retractable visor.

KTECH[™] RESCUE/CLIMBING HELMET

AHC101001R



AHC101001W



AHC101001O



AHC101012



AHC101002



KTECH™

RESCUE/CLIMBING HELMET

| | KTECH HELMET CODES | | | | |
|------------------------------------|--------------------|------------|------------|-----------|-----------|
| | AHC101001R | AHC101001W | AHC101001O | AHC101012 | AHC101002 |
| FEATURES | | | | | |
| High-Density Polypropylene Shell | ✓ | ✓ | ✓ | ✓ | |
| Quick-Release Ratchet Adjuster | ✓ | ✓ | ✓ | ✓ | |
| Up & Down System | ✓ | ✓ | ✓ | ✓ | |
| Leather Chin Strap | ✓ | ✓ | ✓ | ✓ | |
| Carrying Clips | ✓ | ✓ | ✓ | ✓ | |
| Ventilation Intake Holes | ✓ | ✓ | ✓ | ✓ | |
| Anti-Intrusion Grille | ✓ | ✓ | ✓ | ✓ | |
| Visor Attachment | ✓ | ✓ | ✓ | ✓ | |
| Nylon Clips | ✓ | ✓ | ✓ | ✓ | |
| Anti UV | | | | | ✓ |
| Anti Fog | | | | | ✓ |
| Scratch Resistant | | | | | ✓ |
| RELEVANT STANDARDS | | | | | |
| EN 12492:2012 | ✓ | ✓ | ✓ | | |
| AS/NZS 1801:2024, EN 397, EN 50365 | | | | ✓ | |
| EN 166, EN 174 | | | | | ✓ |

KTECH™

RESCUE/CLIMBING HELMET

| | KTECH HELMET CODES | | | | |
|-----------------------------|--------------------|------------|------------|-----------|-----------|
| | AHC101001R | AHC101001W | AHC101001O | AHC101012 | AHC101002 |
| SUITABLE FOR | | | | | |
| Construction | ✓ | ✓ | ✓ | ✓ | ✓ |
| Maintenance | ✓ | ✓ | ✓ | ✓ | ✓ |
| Fall Arrest | ✓ | ✓ | ✓ | ✓ | ✓ |
| Ladder Safety Systems | ✓ | ✓ | ✓ | ✓ | ✓ |
| Roof Work | ✓ | ✓ | ✓ | ✓ | ✓ |
| Telecommunications | ✓ | ✓ | ✓ | ✓ | ✓ |
| Elevated Work Platforms | ✓ | ✓ | ✓ | ✓ | ✓ |
| Confined Space Entry | ✓ | ✓ | ✓ | ✓ | ✓ |
| Climbing | ✓ | ✓ | ✓ | ✓ | ✓ |
| Tower / Pole Work | ✓ | ✓ | ✓ | ✓ | ✓ |
| Rescue / Rope Access | ✓ | ✓ | ✓ | ✓ | ✓ |
| Welding / Hot Works | ✓ | ✓ | ✓ | ✓ | ✓ |
| Wet & Corrosive Enviroments | ✓ | ✓ | ✓ | ✓ | ✓ |
| Offshore | ✓ | ✓ | ✓ | ✓ | ✓ |
| Electrical | ✓ | ✓ | ✓ | ✓ | ✓ |

KTECH[™]

RESCUE/CLIMBING HELMET

MATERIAL SPECIFICATION

EXTERNAL SHELL

Helmet: Polypropylene
Visor: Polycarbonate lens

SIZE

Universal-adjustable from 51 to 62 cm headform

WEIGHT

AHC101001 : 410g
AHC101012 : 453g
AHC101002 (VISOR): 60g

COLOUR

AHC101001 : Red/White/Orange
AHC101012 : White
AHC101002 (VISOR) : Clear

STANDARDS

AHC101001 : EN 12492:2012
AHC101012 : AS/NZS 1801:2024, EN 12492:2012, EN 397, EN 50365
AHC101002 (VISOR) : EN 166, EN 174

HOW TO USE

Refer to User Instruction Manual 