Declaration of Conformity

In Accordance with ANSI/ISEA 125-2014 and ANSI/ASSP Z359.7-2019

Declaration #: DOC-UFS351102D
Declaration Date: 10/17/2025

Item #: UFS351102D

Description: KStrong® Micron™ Dual 6 ft. SRL with Aluminum Swivel Carabiners (ANSI) - Dual dorsal connector included

Brand Name: KStrong

Manufacturer: KStrong

Address: 18505 Intercontinental Crossing, Houston, TX 77073

Additional Items Conforming Under this Declaration (If Applicable):

KStrong declares that the product(s) listed above is in conformity with the requirements of the following performance standard(s):

ANSI Z359.14-2021 Class 1 SRL-P

Conformity Assessment Method in accordance with ANSI/ISEA 125-2014

- ○ **Level 1:** KStrong Lab Outside the Scope of ISO/IEC Standard 17025:2017
- ○ **Level 2:** KStrong Lab Within the Scope of ISO/IEC Standard 17025:2017
- ● **Level 3:** Independent 3rd Party Lab accredited to ISO/IEC Standard 17025:2017

Supporting Documentation: KS-Test-UFS351102D.pdf

This Certificate is a guarantee that the above standard(s) was met by the requirements of such standard. Testing was performed under normal operation mode. The results of testing apply only to the particular sample tested and the specific test carried out. This Certificate is only issued for products which have passed the testing requirements of listed standard(s).

Authorized Signature:

Matt Sisco
President - KS Group, North America

ISO 17025 Accredited Test Laboratory

intertek
Total Quality. Assured.

SCC Accredited LAB

Intertek Testing Services NA, Inc.
3933 US Rt. 11
Cortland, NY 13045
Tel: 1 607-753-6711
www.intertek.com

KStrong Inc.

TEST REPORT

SCOPE OF WORKs
ANSI/ASSP Z359.14-2021 – SELF RETRACTING DEVICES

REPORT NUMBER
106354768CRT-001

ORIGINAL REPORT NUMBER
106266563CRT-001

ISSUE DATE
October 17, 2025

PAGES
4

DOCUMENT CONTROL NUMBER
GFT-OP-10a (6-March-2017)
© 2017 INTERTEK

Total Quality. Assured.

Address
3933 US rt. 11 Cortland, NY
13045

Telephone: 607-758-6246
www.intertek.com

KSTRONG INC.
Report No.: 106354768CRT-001
Date: October 17, 2025

KStrong Inc. 18505 Intercontinental Crossing Houston, TX 77073 USA	
Report Number. ..... :	106354768CRT-001
Signed Quote Number. ..... :	Qu-01574882-0
PO Number.....:	N/A
Name of Testing Laboratory Preparing the Report..... :	Intertek Testing Services NA Inc.
Test Specification:	
Standard..... :	ANSI/ASSP Z359.14-2021
Date(s) of Testing..... :	07/15/2025
Product Description:	
Product Type: ..... :	Self-Retracting Lanyard
Brand Name:..... :	KStrong
Model Number(s):..... :	UFS350002
Model Share:.....:	UFS354002, UFS351102, UFS356002, UFS359002, UFS350002D, UFS354002D, UFS351102D, UFS356002D, UFS359002D, UFS390006, UFS390006D, UFS394006, UFS394006D, UFS396006, UFS396006D
Dates Samples Received.....:	06/23/2025

This report is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this report. Only the Client is authorized to permit copying or distribution of this report and then only in its entirety. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test results in this report are relevant only to the sample tested. This report by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

SECTION 1

SUMMARY OF TESTING

TESTS COMPLETED	ANSI/ASSP Z359.14-2021 CLAUSE	STATUS
Dynamic Performance Testing of SRL-P's	3.3.2 / 4.3.2	**PASS**

SECTION 2

This test report concludes the work anticipated in the testing phase of your project. If there are any questions regarding this report please contact the undersigned at 607-753-6711.

COMPLETED BY:	Jennifer Breed	**REVIEWED BY:**	Matthew Stevens
TITLE:	Technical Writer	**TITLE:**	Team Leader
SIGNATURE:		**SIGNATURE**	
DATE	October 17, 2025	**DATE:**	October 17, 2025

Please see attached test data for details.

SECTION 3

TESTING EQUIPMENT CALIBRATION INFORMATION

USED FOR TEST	DESCRIPTION	MANUFACTURER	CONTROL NO.	MODEL NO.	SERIAL NO.	CAL. DATE	CAL. DUE
X	Test Weight	NA	NA	310 lbs	-	VBU	VBU
X	Load Cell	PCB	N1392	-	-	10/25/24	10/25/25
X	Tape Measure	Kobalt	H338	25’	-	05/20/24	05/20/25

SECTION 4

SUPPLEMENTAL TEST DATA

<table>
<tr><th>Section (Test)</th><th>Requirement</th><th>Results</th><th>Compliance</th></tr>
<tr><td>3.3.2 / 4.3.2</td><td><u>Additional Dynamic Performance Testing of Self Retracting Lanyards (SRL-Ps):</u>
- Hoist the test weight to the level at which activation would begin and measure the distance to a fixed point of reference (initial height) Elevate the test weight 72 inches above the initial height.
- Do not lock the device or inhibit retraction of the device
- Release the test weight
- Measure and record Maximum arrest force</td><td>
<table>
<tr><td>Sample Number</td><td>1</td><td>2</td><td>3</td></tr>
<tr><td>Max Arresting Force:</td><td>1,298</td><td>1,406</td><td>1,385</td></tr>
<tr><td>Average Force (Ref Only):</td><td>920</td><td>919</td><td>916</td></tr>
<tr><td>Locking Function Operates:</td><td>Yes</td><td>Yes</td><td>Yes</td></tr>
<tr><td>Visual Indicator Activated:</td><td>Yes</td><td>Yes</td><td>Yes</td></tr>
</table>
</td><td>PASS</td></tr>
</table>

SECTION 5

REVISION HISTORY

REPORT NUMBER	DATE:	DESCRIPTION OF CHANGE:	REVIEWERS:
106266563CRT-001	07/17/2025	Original Report	Alex Smith Matthew Stevens
106354768CRT-001	10/17/2025	Report Extension to KStrong Inc.	Jennifer Breed Matthew Stevens
106354768CRT-001	10/20/2025	Added Photo	Jennifer Breed Matthew Stevens

K STRONG
MICRON
SRL SERIES
K STRONG

Test Verification of Conformity

Verification Number: 105376372CRT-012

On the basis of the referenced test report(s), sample(s) of the below product have been found to comply with the harmonized standards and Directives listed on this verification at the time the tests were carried out. Other standards and Directives may be relevant to the product. This verification is part of the full test report(s) and should be read in conjunction with it(them).

Applicant Name & Address:	KStrong INC 150 N. Radnor Chester Rd. Suite F200 Radnor, PA 19087 USA
Product Description:	Self-Retracting Device
Models/Type References:	UFS350002D, UFS351102D, UFS354002D, UFS359002D, UFS356002D
Brand Name:	KStrong
Relevant Standards:	ANSI/ASSP Z359.14-2021
Verification Issuing Office Name & Address:	Intertek Testing Services NA, Inc. 3933 US Rt-11 Cortland, NY 13045 USA
Date of Tests:	1/9/23 – 1/13/23
Test Report Number(s):	105376372CRT-011

Signature:

Name: **Matthew Stevens**
Position: **Team Leader**
Date: **03/27/2023**

This Verification is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to permit copying or distribution of this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test/inspection results referenced in this Verification are relevant only to the sample tested/inspected. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

intertek
Total Quality. Assured.

KSTRONG INC
TEST REPORT

SCOPE OF WORKs
ANSI/ASSP Z359.14-2021 – SELF RETRACTING DEVICES

REPORT NUMBER
105376372CRT-011

ORIGINAL REPORT NUMBER
105294551CRT-001

ISSUE DATE
11/16/2023

PAGES
4

DOCUMENT CONTROL NUMBER
GFT-OP-10a (6-March-2017)
© 2017 INTERTEK

Total Quality. Assured.

Address
3933 US rt. 11 Cortland, NY 13045

Telephone: 607-758-6246
www.intertek.com

TEST REPORT FOR KSTRONG INC

Report No.: 105376372CRT-011
Date: November 16th, 2023

KSTRONG Inc.
150 N. Radnor Chester RD.
Suite F200
Radnor, PA 19087
USA

Report Number.....	105376372CRT-011
Signed Quote Number.....	Qu-01339713-1
PO Number.....:	N/A
Name of Testing Laboratory Preparing the Report	Intertek Testing Services NA Inc.
Test Specification:	
Standard.....	ANSI/ASSP Z359.14-2021
Date(s) of Testing.....	1/9/2023 -1/13/2023
Product Description:	Self-Retracting Device
Product Type:	SRL-P Dual Class 1
Brand Name:	KStrong
Model Number(s):	UFS350002D, UFS351102D, UFS354002D, UFS359002D, UFS356002D
Additional Models Covered:.....	N/A
Date(s) Samples Received	11/28/22

This report is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this report. Only the Client is authorized to permit copying or distribution of this report and then only in its entirety. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test results in this report are relevant only to the sample tested. This report by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

SECTION 1
SUMMARY OF TESTING

VERIFICATION TESTS COMPLETED	ANSI/ASSP Z359.14-2021 CLAUSE	STATUS
Static Strength, For Dual SRL-P's	4.6.1	PASS
SRL-P Dual Connection	4.6.2	PASS

SECTION 2
This test report concludes the work anticipated in the testing phase of your project. If there are any questions regarding this report please contact the undersigned at 607-753-6711.

COMPLETED BY:	Alex Smith	**REVIEWED BY:**	Matthew Stevens
TITLE:	Technician	**TITLE:**	Team Leader
SIGNATURE:		**SIGNATURE**	
DATE	3/27/2023	**DATE:**	11/16/2023

Please see attached test data for details.

SECTION 3
TESTING EQUIPMENT CALIBRATION INFORMATION

USED FOR TEST	DESCRIPTION	MANUFACTURER	CONTROL NO.	MODEL NO.	SERIAL NO.	CAL. DATE	CAL. DUE
X	Test Weight	NA	NA	310 Lbs	-	VBU	VBU
X	Leading Edge Bar	Intertek	G147	CAT 3	-	Single Use VBU	
X	Load Cell	Interface	G138	-	-	5/28/22	5/28/23
X	Load Cell	Interface	L137	-	-	5/25/22	5/25/23
X	Tape Measure	Stanley	N1407	-	-	2/16/22	2/16/23

SECTION 4

SUPPLEMENTAL TEST DATA

<table>
<tr><th>SECTION (TEST)</th><th>REQUIREMENT</th><th>RESULTS</th><th>COMPLIANCE</th></tr>
<tr><td>3.6.1/4.6.1</td><td><u>Static Strength Testing of SRL-P</u> <u>(Multiple Orientations for Twin Units): (ambient) shall withstand 3,600 lbs.</u></td><td><table><tr><th></th><th>Sample: 1</th><th>Sample: 2</th><th>Sample: 3</th></tr><tr><td>Withstand load</td><td>YES</td><td>YES</td><td>YES</td></tr></table></td><td>PASS</td></tr>
<tr><td>3.6.2/4.6.2</td><td>SRL-P Dual Connection: Raise 24 inches drop: Record MAF</td><td><table><tr><th></th><th>Sample: 4</th><th>Sample: 5</th><th>Sample: 6</th></tr><tr><td>Mass Force</td><td>1897</td><td>1899</td><td>1868</td></tr><tr><td>Sample Break?</td><td>NO</td><td>NO</td><td>NO</td></tr></table></td><td>PASS</td></tr>
</table>

SECTION 5

REVISION HISTORY

REPORT NUMBER	DATE OF REVISION	DESCRIPTION OF CHANGE:	PROJECT OWNER	REVIEWED BY
105294551CRT-001	1/18/2023	Original Report	Steven Morey	Matthew Stevens
105376372CRT-011	3/27/2023	Report Extension	Alex Smith	Matthew Stevens
105376372CRT-011	11/16/2023	Revised to Class 1	Alex Smith	Matthew Stevens