

Declaration of Conformity

In Accordance with ANSI/ISEA 125-2014 and ANSI/ASSP Z359.7-2019

Declaration #: DOC-UFX903010

Declaration Date: 02/27/2026

Item #: UFX903010

Description: KStrong® Spreader Bar with Snap Hooks (ANSI)

Brand Name: KStrong

Manufacturer: KStrong

Address: 18505 Intercontinental Crossing, Houston, TX 77073

Additional Items Conforming
Under this Declaration (If Applicable):

KStrong declares that the product(s) listed above is in conformity with the requirements of the following performance standard(s):

ANSI Z359.3-2019

Conformity Assessment Method in accordance with ANSI/ISEA 125-2014



Level 1:

KStrong Lab Outside the Scope of ISO/IEC Standard 17025:2017



Level 2:

KStrong Lab Within the Scope of ISO/IEC Standard 17025:2017



Level 3:

Independent 3rd Party Lab accredited to ISO/IEC Standard 17025:2017

Supporting Documentation: KS-Test-UFX903010.pdf

This Certificate is a guarantee that the above standard(s) was met by the requirements of such standard. Testing was performed under normal operation mode. The results of testing apply only to the particular sample tested and the specific test carried out. This Certificate is only issued for products which have passed the testing requirements of listed standard(s).

Authorized Signature:



Chad McBride
Chief Operating Officer - KStrong

ISO 17025 Accredited Test Laboratory

intertek
Total Quality. Assured.



Intertek Testing Services NA, Inc.
3933 US Rt. 11
Cortland, NY 13045
Tel: 1 607-753-6711
www.intertek.com

Test Verification of Conformity

Verification Number: 106498353CRT-002

On the basis of the referenced test report(s), sample(s) of the below product have been found to comply with the harmonized standards and Directives listed on this verification at the time the tests were carried out. Other standards and Directives may be relevant to the product. This verification is part of the full test report(s) and should be read in conjunction with it(them). This verification references testing dated 01/26/2026 related to Report Number(s): 106498353CRT-001

Applicant Name & Address: KStrong Inc.
18505 Intercontinental Crossing,
Houston, TX 77073
USA

Product Description: Spreader Bar

Models/Type References: UFX903010

Brand Name: KStrong

Relevant Standards: ANSI/ASSP Z359.3-2019

Verification Issuing Office
Name & Address: Intertek Testing Services NA, Inc.
3933 US Rt-11
Cortland, NY 13045
USA

Date of Tests: 01/26/2026

Test Report Number(s): 106498353CRT-001

Signature:



Name: **Matthew Stevens**

Position: **Team Leader**

Date: **2/27/26**



This Verification is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to permit copying or distribution of this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test/inspection results referenced in this Verification are relevant only to the sample tested/inspected. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

KStrong Inc

TEST REPORT

SCOPE OF WORKs

ANSI/ASSP Z359.3 – 2019 Safety Requirements for Positioning and Travel Restraint Systems

REPORT NUMBER

106498353CRT-001

ORIGINAL REPORT NUMBER

106449849CRT-001

ISSUE DATE

February 27, 2026

PAGES

5

DOCUMENT CONTROL NUMBER

GFT-OP-10a (6-March-2017)

© 2017 INTERTEK





Total Quality. Assured.

KSTRONG INC

Report No.: 106498353CRT-001

Date: February 27, 2026

3933 US Route 11
Cortland, New York ,USA
13045

Telephone: 607-758-6246
Facsimile: None
www.intertek.com

KStrong Inc.
18505 Intercontinental Crossing,
Houston, TX 77073
USA

Report Number..... : 106498353CRT-001

Signed Quote Number..... : Qu-01611331-1

PO Number.....: N/A

Name of Testing Laboratory
Preparing the Report: Intertek Testing Services NA Inc.

Test Specification:

Standard.....: ANSI/ASSP Z359.3-2019

Date(s) of Testing.....: 01/26/2026

Product Description:

Product Type:: Spreader Bar

Brand Name:: KStrong

Model Number(s):: UFX903010

Date(s) Samples Received: 12/18/2026

This report is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this report. Only the Client is authorized to permit copying or distribution of this report and then only in its entirety. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test results in this report are relevant only to the sample tested. This report by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

KSTRONG INC

Report No.: 106498353CRT-001

Date: February 27, 2026

SECTION 1**SUMMARY OF TESTING**


TESTS COMPLETED	ANSI/ASSP Z359.3-2019 CLAUSE	STATUS
Design Requirements	3	PASS
Static Strength Testing of Lanyards and Positioning Lanyards	4.2.1	PASS

SECTION 2**TESTING EQUIPMENT CALIBRATION INFORMATION**

USED FOR TEST	DESCRIPTION	MANUFACTURER	CONTROL NO.	MODEL NO.	SERIAL NO.	CAL. DATE	CAL. DUE
X	Drop Test Structure	Intertek	NA	CAT. 3	-	N/A	N/A
X	Test Dead Weight	NA	15065	300 lbs	-	VBU	VBU
X	Load Cell	Interface	L137	-	-	07/16/25	07/16/26
X	Tape Measure	Kobalt	H323	-	-	09/25/25	09/25/26

SECTION 3
CONCLUSION

This test report concludes the work anticipated in the testing phase of your project. If there are any questions regarding this report please contact the undersigned at 607-753-6711.

COMPLETED BY:	Jennifer Breed	REVIEWED BY:	Matthew Stevens
TITLE:	Technician	TITLE:	Team Leader
SIGNATURE:		SIGNATURE	
DATE	February 27, 2026	DATE:	February 27 2026

Please see attached test data for details.

KSTRONG INC

Report No.: 106498353CRT-001


Date: February 27, 2026

SECTION 4**SUPPLEMENTAL TEST DATA**

SECTION (TEST)	REQUIREMENT	RESULTS	COMPLIANCE								
3	<u>Design Requirements:</u>										
3.2.1	Lanyard and positioning lanyard elements fabricated from synthetic fibers shall be made from pure or non-recycled materials having strength, aging, abrasion resistance and heat resistance characteristics equivalent or superior to polyamides or polyester.		PASS								
3.2.1.1	Other synthetic materials, than those stated herein, are permitted only when it can be demonstrated that all requirements of this standard are met and, additionally, that the durability, reliability and other properties pertinent to the intended use have been evaluated by the manufacturer and determined suitable. Any resulting restrictions on the use shall be marked on the lanyard.		PASS								
3.2.2	Wire rope used in the construction of lanyards shall be constructed in accordance with Military Specification MIL-DTL-83420, <i>Wire Rope, Flexible, for Aircraft Control, General Specification For</i> .		N/A								
3.2.3.1	Meet the requirements of ANSI/ASSP Z359.12, <i>Connecting Components for Personal Fall Arrest Systems</i> .		PASS								
3.2.3.2	Have additional material (i.e., wear piece, guard, extra loop, etc.) for abrasion protection when connected to synthetic material to protect the synthetic material from concentrated wear.		N/A								
3.5.1	When tested in accordance with 4.2.1, positioning lanyards without adjustment ability shall have a breaking strength no less than 5,000 pounds (22 kN).		PASS								
3.5.2	When tested in accordance with 4.2.3, positioning lanyards with adjustment ability shall maintain their adjusted length within 3 inches (76.2 mm) when loaded to no less than 1,000 pounds (4.4 kN) and shall have a breaking strength no less than 5,000 pounds (22 kN).		N/A								
3.5.3	When tested in accordance with 4.2.4, positioning lanyards and adjustable positioning lanyards shall not break and shall retain the test weight for a period no less than one minute.		N/A								
3.5.4	When conditioned in accordance with the abrasion test in 4.2.5 and tested in accordance with 4.2.1 procedure, positioning lanyards shall have a breaking strength of not less than 3,600 pounds (16 kN) after being abraded. Positioning lanyards made of steel or stainless steel do not require abrasion conditioning and are not required to be tested to this section.		N/A								
3.5.5	When conditioned in accordance with the abrasion test in 4.2.5 and tested in accordance with 4.2.3 procedure, adjustable positioning lanyards shall have a breaking strength of not less than 3,600 pounds (16 kN) after being abraded. Adjustable positioning lanyards made of steel or stainless steel do not require abrasion conditioning and are not required to be tested to this section.		N/A								
4	<u>Performance Requirements:</u>										
4.2.1	<u>Static Strength Testing of Lanyards and Positioning Lanyards:</u> Connect the lanyard test specimen between the jaws of the tensile test equipment specified by the means of the connectors at each end of the lanyards. Subject the lanyard to a force of 5000 lbs (22.2 kN) for a period of no less than 1 minutes. The time to reach this force shall be no more than 3 minutes to avoid dynamic effects. <table border="1"> <thead> <tr> <th>Static Strength Test</th><th>SAMPLE: 1</th><th>SAMPLE: 2</th><th>SAMPLE: 3</th></tr> </thead> <tbody> <tr> <td>Sample Withstand 5000 Lb. Force?</td><td>YES</td><td>YES</td><td>YES</td></tr> </tbody> </table>	Static Strength Test	SAMPLE: 1	SAMPLE: 2	SAMPLE: 3	Sample Withstand 5000 Lb. Force?	YES	YES	YES		PASS
Static Strength Test	SAMPLE: 1	SAMPLE: 2	SAMPLE: 3								
Sample Withstand 5000 Lb. Force?	YES	YES	YES								

SECTION 5

PHOTOGRAPHS



SECTION 6

REVISION HISTORY

REPORT NUMBER	DATE	REVISION	PROJECT OWNER/ REVIEWER
106449849CRT-001	01/27/2026	Original Report	Alex Smith/ Matthew Stevens
106498353CRT-001	02/27/2026	Report Extension	Jennifer Breed/Matthew Stevens