

KStrong® Kaptor™ Accessory Kit - Detachable Loops (ANSI)

Model: DL100201

KAPTOR™
TOOL LANYARDS

DESIGN

- Tool attachment with plastic buckle at one end and elastic cord loop with lock at other end

MATERIAL

Webbing - 0.78" (20mm) Polyester.
SR Clamp - Polymer

CAPACITY

5 lbs. (2.26kg)

LENGTH


Relaxed Length: 11" (27.9cm)
Expanded Length: 17" (43.2cm)

WEIGHT

0.04 lbs. ± 0.004 lbs. (20 gm ± 2 gm)

RELEVANT STANDARDS

Meets or Exceeds ANSI/ISEA 121-2018



Meets or Exceeds ANSI/ISEA 121-2018

KStrong® Kaptor™ Detachable Elasticated Single Leg Tool Lanyard w/ Screwgate Carabiner - 5 lbs. (ANSI)

Model: DL100401

KAPTOR™
TOOL LANYARDS

DESIGN

- Convenient stretch lanyard for Tool Holding
- Provided with a lightweight Carabiner for attachment to the user's belt
- Elasticated webbing used for contraction property.

MATERIAL

Webbing - 0.47" (12mm) Polyester.
Carabiner - High strength Aluminum.

CAPACITY

5 lbs. (2268gm)

LENGTH


Relaxed Length: 42" (106.7cm)
Expanded Length: 67" (170.2cm)

WEIGHT

0.18 lbs. ± 0.01 lbs. (85 gm ± 5 gm)

RELEVANT STANDARDS

Meets or Exceeds ANSI/ISEA 121-2018



Meets or Exceeds ANSI/ISEA 121-2018

KStrong® Kaptor™ Self-Adhering Tape Trap - 12 ft. Roll

Model: DT700101

Self-Adhering Tape Trap - 12 ft. Roll

DESIGN

- Self-Bonding, doesn't rely on chemical adhesives
- Heat resistant to 150° Celsius
- Resistant to water and oil
- Very resilient and long lasting

BOND STRENGTH

Max. Load: 21.5 N

SHORE HARDNESS

A/42/1

TEAR STRENGTH

11.9 kN/m

TENSILE STRENGTH

7.43 MPa

LENGTH

12 ft.

RELEVANT STANDARDS

Meets or Exceeds ANSI/ISEA 121-2018

KAPTOR™
DROP PREVENTION

