

## KStrong® 6 ft. Twin Leg 100% Tie-off Elasticated Design Shock Absorbing Lanyard with Aluminum Snap Hook and Aluminum Rebar Hooks (ANSI)

Model: UFL206234

KStrong® 6 ft. Twin leg 100% tie-off Elasticated (stretches from 4.5 ft. to 6 ft.) design shock absorbing lanyard with one (1) aluminum snap hook and two (2) aluminum rebar hooks (ANSI).

### DESIGN

- Y Shaped 1.57 in. (40mm) wide polyester tubular elasticated webbing incorporated with energy absorbing (6 ft.) Poy Webbing with one side equipped with Aluminum Snap Hook and the other two sides equipped with Aluminum Rebar Hooks (UFC408450).

### WEBBING

Material: Polyester.  
Width : 1.57" ± 0.04" (40mm ± 1mm)  
Breaking strength: 6000 lbs. (2722kg)

### STITCHING THREAD

Material: High-tenacity polyester

### METAL COMPONENT


Material: Aluminum Alloy Body, Alloy Steel Gate & Lock  
Finish: Black Anodized Body, Golden Yellow Galvanized Gate & Lock  
Breaking Strength: 5000 lbs. (2268kg)

### WEIGHT

4.85 lbs. ± 0.02 lbs. (2200gm ± 10gm)

### RELEVANT STANDARDS

Meets or Exceeds ANSI Z359.13-2013



Meets or Exceeds ANSI Z359.13-2013