

KSTRONG®

UNRIVALED SAFETY.

2022

Q3 - MINI CATALOG




SELF-RETRACTING LIFELINES

KStrong offers a full range of self-retracting lifeline solutions to meet nearly every user requirement and for a wide variety of applications. Whether the user is working in construction, utilities maintenance or general industry and the installation is overhead at foot-level or personally attached to the harness, Micron™ and BRUTE™ SRLs provide durable performance and reliability that's supported with 3rd-party testing documentation to meet all applicable industry standards.

BRUTE™ SRL Series | Overhead

	Model	Length	Cable Type	Attachment End	Installation Carabiner	Tag Line
A	UFS330008	8 ft.	Stainless Steel	Snap Hook	UFC401101	
B	UFS310010	10 ft.	Steel	Snap Hook	UFC401101	
C	UFS310020	20 ft.	Steel	Snap Hook	UFC401101	Included
D	UFS310030	30 ft.	Steel	Snap Hook	UFC401101	Included
E	UFS310050	50 ft.	Steel	Snap Hook	UFC401101	Included
F	UFS310100	100 ft.	Steel	Snap Hook	UFC401101	Included



SELF-RETRACTING LIFELINES (Continued)

BRUTE™ SRL Series | Overhead

	Model	Length	Cable Type	Attachment End	Installation Carabiner	Tag Line
G	UFS310130	30 ft.	Steel	Carabiner	UFC401101	Included
H	UFS310150	50 ft.	Steel	Carabiner	UFC401101	Included
J	UFS350011	11 ft.	Webbing	Snap Hook	UFC401101	
K	UFS350025	25 ft.	Webbing	Snap Hook	UFC401101	Included



UFC401101 Carabiners included with every BRUTE™ SRL and SRL-LE. Tag Lines also included for all models 18 ft. and longer.


BRUTE™ SRL SERIES



SELF-RETRACTING LIFELINES (Continued)

BRUTE™ SRL Series | Personal

	Model	Length	Lifeline	Attachment End	Installation Carabiner
A	UFS359506	8 ft.	Hi-Abrasion Resistant Dyneema Web	Tie-back Hook	UFC409151
B	UFS359506D	Twin 8 ft.	Hi-Abrasion Resistant Dyneema Web	Tie-back Hooks	UFC409151



Meets or Exceeds ANSI Z359.14-2014 Class B

MICRON™ SRL SERIES



Micron™ SRL Series | Personal



	Model	Length	Description
C	UFS350002	6 ft.	Steel Snap Hook; comes with locking carabiner UFC401101
D	UFS350002D	6 ft.	Twin Model - Steel Snap Hook; comes with UFC409151
E	UFS351102	6 ft.	Aluminum Carabiner; comes with locking carabiner UFC401101
F	UFS351102D	6 ft.	Twin Model - Aluminum Carabiner; comes with UFC409151
G	UFS354002	6 ft.	Steel Rebar Hook; comes with locking carabiner UFC401101
H	UFS354002D	6 ft.	Twin Model - Steel Rebar Hook; comes with UFC409151
J	UFS356002	6 ft.	Aluminum Rebar Hook w/ Steel ANSI Gate; comes with locking carabiner UFC401101
K	UFS356002D	6 ft.	Twin Model - Aluminum Rebar Hook w/ Steel ANSI Gate; comes with UFC409151
L	UFS359002	9 ft.	Tie-back Hook; comes with locking carabiner UFC401101
M	UFS359002D	9 ft.	Twin Model - Tie-back Hook; comes with UFC409151
N	UFC409151	Twin/Single Connector (Steel Pin)	



SELF-RETRACTING LIFELINES (Continued)

BRUTE™ LE SRL Series | Leading Edge (LE) Rated




	Model	Length	Installation Carabiner	Tag Line
A	UFS310018L	18 ft.	UFC401101	Included
B	UFS310025L	25 ft.	UFC401101	Included
C	UFS310050L	50 ft.	UFC401101	Included
D	UFS310080L	80 ft.	UFC401101	Included



UFC401101 Carabiners included with every BRUTE™ SRL and SRL-LE. Tag Lines also included for all models 18 ft. and longer.

SELF-RETRACTING LIFELINES (Continued)

BRUTE Backer™ LE SRL Series | Leading Edge (LE) Rated



	Model	Length	Description
E	UFS310206L	8.5 ft.	Steel Snap Hook; comes with locking carabiner UFC401101
F	UFS310206LD	8.5 ft.	Twin Model - Steel Snap Hook; comes with UFC409151
G	UFS314006L	8.5 ft.	Steel Rebar Hook; comes with locking carabiner UFC401101
H	UFS314006LD	8.5 ft.	Twin Model - Steel Rebar Hook; comes with UFC409151
J	UFS316106L	8.5 ft.	Aluminum Rebar Hook; comes with locking carabiner UFC401101
K	UFS316106LD	8.5 ft.	Twin Model - Aluminum Rebar Hook; comes with UFC409151
L	UFS319006L	8.5 ft.	Tie-back Hook; comes with locking carabiner UFC401101
M	UFS319006LD	8.5 ft.	Twin Model - Tie-back Hook; comes with UFC409151
N	UFC409151		Twin/Single Connector (Steel Pin)



SELF-RETRACTING LIFELINES (Continued)

BRUTE-AL™ SRL Series

Rugged Durable Aluminum Housing



	Model	Length
A	UFS480020	20 ft.
B	UFS480030	30 ft.
C	UFS480050	50 ft.
D	UFS480020L	20 ft. LE
E	UFS480025L	25 ft. LE
F	UFS480050L	50 ft. LE

UFC401101 Carabiners included with every BRUTE™ SRL and SRL-LE. Tag Lines also included for all models 18 ft. and longer.

SELF-RETRACTING LIFELINES (Continued)

BRUTE™ Sealed Series | Sealed Block SRL's (IP68 Level of IEC 60529) with Stainless Steel Cable and Snap Hook



IP68 Level
of IEC 60529

	Model	Length
G	UFS570030	30 ft.
H	UFS570060	60 ft.
Not Shown	UFS5700100	100 ft.



Stainless Steel Carabiners included with every BRUTE™ Sealed SRL. Tag Lines also included.

BODY WEAR

When it comes to your fall protection equipment, a full-body harness is the single most important equipment choice you can make for your crew. While KStrong harnesses are built to meet or exceed ANSI standards and OSHA regulations, we've also designed comfort, lumbar support, positioning rings and accessibility into our body wear with continued freedom of movement, sustained safety and improved productivity for workers at height. KStrong harnesses provide workers with confidence, which directly affects the user's productivity. While many of our safety harnesses can be used on most jobs, we also manufacture innovative full-body harnesses for specific uses within different industries.

KAPTURE™ HARNESS SERIES

Kapture™ Essential | 3-point Adjustment | Available Sizes: Universal (S-L), L-XL

UFH10101G | Tongue Buckle Legs



UFH10101P | Pass-Thru Legs



Kapture™ Essential | 3-point Adjustment | Available Sizes: Universal (S-L), L-XL

UFH10131G | Tongue Buckle Legs & Side D-Rings



UFH10131P | Pass-Thru Legs & Side D-Rings



BODY WEAR (Continued)

Kapture™ Essential+ | 5-point Adjustment | Available Sizes: S-M, M-L, L-XL, XL-2XL

KAPTURE™ ESSENTIAL+
LV1 || FULL BODY HARNESS

UFH16201GP | Tongue Buckle Legs & with Removable Back/Shoulder Pad



UFH16231GP | Back/Shoulder Pad and Waist Belt, 3 D-rings, Tongue Buckle Legs



Kapture™ Essential | 3-point Adjustment | Available Sizes: Universal (S-L), L-XL

KAPTURE™ ESSENTIAL
LV1 || FULL BODY HARNESS

UFH10102G | Tongue Buckle Legs, Dorsal D-Ring with Sewn In 18" Extension O-Ring



UFH10102P | Pass-Thru Legs, Dorsal D-Ring with Sewn In 18" Extension O-Ring



BODY WEAR (Continued)

Kapture™ Elite | 5-point Adjustment | Available Sizes: S-M, M-L, L-XL, XL-2XL, 2XL-3XL

UFH10201G | Tongue Buckle Legs

KAPTURE™ ELITE
LV2 || FULL BODY HARNESS



Kapture™ Elite | 5-point Adjustment | Available Sizes: S-M, M-L, L-XL

UFH10201P | Pass-Thru Legs

KAPTURE™ ELITE
LV2 || FULL BODY HARNESS



Kapture™ Elite | 5-point Adjustment | Available Sizes: S-M, M-L, L-XL

UFH10231G | Tongue Buckle Legs & Side D-Rings

KAPTURE™ ELITE
LV2 || FULL BODY HARNESS



UFH10231P | Pass-Thru Legs & Side D-Rings



BODY WEAR (Continued)

Kapture™ Elite | 5-point Adjustment | Available Sizes: S-M, M-L, L-XL

UFH10251G | Climbing FBH, TB Legs, Front & Side D-rings

UFH10251P | Climbing FBH, PT Legs, Front & Side D-rings

KAPTURE™ ELITE
LV2 || FULL BODY HARNESS



Kapture™ Elite | 5-point Adjustment | Available Sizes: S-M, M-L, L-XL, XL-2XL, 2XL-3XL

UFH10211G | Front D-Ring, Tongue Buckle Legs

KAPTURE™ ELITE
LV2 || FULL BODY HARNESS



Harness Accessories

UFZ850100 | Trauma Step-Up Relief; Retrofits to Most Harnesses



Kapture™ Elite+ Harnesses featuring **D-Ring Plus™**



Step 1:



Open Dual Connector.

Step 2:



Insert Dual Connector into D-Ring Plus™.

Step 3:



Fully close/lock Dual Connector.

Step 4:



Fast, easy, and safe. You're all finished.

Kapture™ Elite+ | 5-point Adjustment, Shoulder/Back Pad | Available Sizes: S-M, M-L, L-XL, XL-2XL

UFH15201GQ | Tongue Buckle Legs, Quick Connect Chest, Enhanced Dorsal D-ring

Kapture™ Elite+ | 5-point Adjustment, Shoulder/Back Pad | Available Sizes: S-M, M-L, L-XL, XL-2XL

UFH15203GQ | Spring Torso Adjusters, Enhanced Aluminum Dorsal D-ring Plus, Quick Connect Chest, Multi-Flex Feature for Ease of Mobility, Tongue Buckle Legs

KAPTURE™ ELITE+
LV2 || FULL BODY HARNESS



KAPTURE™ ELITE+
LV2 || FULL BODY HARNESS



BODY WEAR (Continued)

Kapture™ Elite+ | 5-point Adjustment, Comfort Shoulder/Back Pad | Available Sizes: S-M, M-L, L-XL, XL-2XL

UFH152011GQ | Front D-Ring, Tongue Buckle Legs, Quick Connect Chest

UFH15201Q | Quick Connect Chest and Leg Buckles

KAPTURE™ ELITE+
LV2 || FULL BODY HARNESS



Kapture™ Elite+ | 5-point Adjustment, Comfort Shoulder/Back Pad | Available Sizes: S-M, M-L, L-XL, XL-2XL

UFH15231Q | Quick Connect Chest and Leg Buckles, Side D-Rings

UFH15231GQ | Quick Connect Chest, Tongue Buckle Legs, Side D-Rings

KAPTURE™ ELITE+
LV2 || FULL BODY HARNESS



BODY WEAR (Continued)

Kapture™ Epic | 5-point Adjustment, Comfort Back Pad & Belt | Available Sizes: Universal (S-L), L-XL

UFH10331G | Quick Connect Chest, Tongue Buckle Legs, Side D-rings

UFH10331P | Quick Connect Chest & Legs, Side D-rings

KAPTURE™ EPIC
LV3 || FULL BODY HARNESS



Kapture™ Epic+ | 5-point Adjustment, Comfort Back Pad & Belt | Available Sizes: S-M, M-L, L-XL, XL-2XL, 2XL-3XL

UFH10332G | Quick Connect Chest, Tongue Buckle Legs, Enhanced Dorsal D-ring Plus, Side D-rings

UFH10332P | Quick Connect Chest & Legs, Enhanced Dorsal D-ring Plus, Side D-rings

KAPTURE™ EPIC+
LV3 || FULL BODY HARNESS



Harness Accessories

UFZ801001 | Removable Shoulder Yoke Comfort Pad for use with full body harnesses



BODY WEAR (Continued)

Kapture™ Epic+ | 5-point Adjustment, Comfort Back Pad & Belt | Available Sizes: S-M, L-XL

UFH10341G | Quick Connect Chest, Tongue Buckle Legs, Enhanced Dorsal D-ring Plus, Front & Side D-rings

KAPTURE™ EPIC+
LV3 || FULL BODY HARNESS



Kapture™ Element | 5-point Adjustment, Revolta™ Webbing | Available Sizes: S-M, M-L, L-XL, XL-2XL

UFH10801GQ | Quick Connect Chest, Tongue Buckle Legs, Enhanced Dorsal D-ring Plus

KAPTURE™ ELEMENT
LV4 || FULL BODY HARNESS



Kapture™ Epic | Padded Waist Tool Belts with D-Rings

UFZ840020 | 1 Rear Restraint D-ring with Removable Tool Belt

UFZ840010 | 2 Work Positioning Side D-rings with Removable Tool Belt

KAPTURE™ EPIC
LV3 || FULL BODY HARNESS



Belt & Leg Strap Sizing

Harness Size	Waist Circumference (in.)	Leg Circumference (in.)
Small - Medium	*Belt not provided in this size	24 - 37
Medium - Large	*Belt not provided in this size	24 - 39
Universal (Small - Large)	33 - 46	27 - 42
Large - X-Large	33 - 49	27 - 43
X-Large - 2X-Large	33 - 50	27 - 45

Harness Accessories

UFZ801011 | 54" Removable Tool Belt

UFZ801012 | 60" Removable Tool Belt



BODY WEAR (Continued)

Harness Features Chart


Kapture™ Series	Model	Adjustment Points & Special Feature(s)	D-Ring Configuration	Leg Straps			Belt	Pads	Available Sizes					Minimum Standards Met
				Pass Thru	Tongue Buckle	Quick Connect			Universal (S - L)	S - M	M - L	L - XL	XL - 2XL	
Essential	UFH10101P	3	Back (Dorsal)	⚡					⚡			⚡		OSHA & ANSI Z359.11-2014
Essential	UFH10101G	3	Back (Dorsal)		⚡				⚡			⚡		OSHA & ANSI Z359.11-2014
Essential	UFH10102P	3	Back (Dorsal) with 18" Ext. O-ring	⚡					⚡			⚡		OSHA & ANSI Z359.11-2014
Essential	UFH10102G	3	Back (Dorsal) with 18" Ext. O-ring		⚡				⚡			⚡		OSHA & ANSI Z359.11-2014
Essential	UFH10131P	3	Back (Dorsal) & Sides	⚡					⚡			⚡		OSHA & ANSI Z359.11-2014
Essential	UFH10131G	3	Back (Dorsal) & Sides		⚡				⚡			⚡		OSHA & ANSI Z359.11-2014
Essential+	UFH16201GP	5	Back (Dorsal)		⚡			Removable Shoulders & Back		⚡	⚡	⚡	⚡	OSHA & ANSI Z359.11-2014
Essential+	UFH16231GP	5	Back (Dorsal) & Sides		⚡		⚡	Shoulders & Back		⚡	⚡	⚡	⚡	OSHA & ANSI Z359.11-2014
Elite	UFH10201P	5	Back (Dorsal)	⚡						⚡	⚡	⚡		OSHA & ANSI Z359.11-2014
Elite	UFH10201G	5	Back (Dorsal)		⚡					⚡	⚡	⚡	XL-2X, 2X-3X	OSHA & ANSI Z359.11-2014
Elite	UFH10211G	5	Back (Dorsal), Front		⚡					⚡	⚡	⚡	XL-2X, 2X-3X	OSHA & ANSI Z359.11-2014
Elite	UFH10231P	5	Back (Dorsal) & Sides	⚡						⚡	⚡	⚡		OSHA & ANSI Z359.11-2014
Elite	UFH10231G	5	Back (Dorsal) & Sides		⚡					⚡	⚡	⚡		OSHA & ANSI Z359.11-2014
Elite	UFH10251P	5, Crossover Design	Back (Dorsal), Front & Sides	⚡						⚡	⚡	⚡		OSHA & ANSI Z359.11-2014
Elite	UFH10251G	5, Crossover Design	Back (Dorsal), Front & Sides		⚡					⚡	⚡	⚡		OSHA & ANSI Z359.11-2014
Elite+	UFH15201GQ	5	Enhanced Back (Dorsal)		⚡	Chest		Shoulders & Back		⚡	⚡	⚡	XL-2X, 2X-3X	OSHA & ANSI Z359.11-2014
Elite+	UFH152011GQ	5	Enhanced Back (Dorsal), Front		⚡	Chest		Shoulders & Back		⚡	⚡	⚡	⚡	OSHA & ANSI Z359.11-2014
Elite+	UFH15201Q	5	Enhanced Back (Dorsal)			⚡ + Chest		Shoulders & Back		⚡	⚡	⚡	⚡	OSHA & ANSI Z359.11-2014
Elite+	UFH15203GQ	5, Multi-Flex, Spring Torso Adjusters	Enhanced Back (Dorsal)		⚡	Chest		Removable Shoulders & Back		⚡	⚡	⚡	⚡	OSHA & ANSI Z359.11-2014
Elite+	UFH15231Q	5	Enhanced Back (Dorsal) & Sides			⚡ + Chest		Shoulders & Back		⚡	⚡	⚡	⚡	OSHA & ANSI Z359.11-2014
Elite+	UFH15231GQ	5	Enhanced Back (Dorsal) & Sides		⚡	Chest		Shoulders & Back		⚡	⚡	⚡	⚡	OSHA & ANSI Z359.11-2014

BODY WEAR (Continued)

Harness Features Chart (Continued)

Kapture™ Series	Model	Adjustment Points & Special Feature(s)	D-Ring Configuration	Leg Straps			Belt	Pads	Available Sizes					Minimum Standards Met
				Pass Thru	Tongue Buckle	Quick Connect			Universal (S - L)	S - M	M - L	L - XL	XL - 2XL	
Epic	UFH10331P	5	Back (Dorsal) & Sides			⚡ + Chest	⚡	Shoulders & Back	⚡			⚡		OSHA & ANSI Z359.11-2014
Epic	UFH10331G	5	Back (Dorsal) & Sides		⚡	Chest	⚡	Shoulders & Back	⚡			⚡		OSHA & ANSI Z359.11-2014
Epic	UFH10341G	5	Enhanced Back (Dorsal), Front & Sides		⚡	Chest	⚡	Shoulders & Back		⚡		⚡		OSHA & ANSI Z359.11-2014
Epic+	UFH10332P	5	Enhanced Back (Dorsal) & Sides			⚡ + Chest	⚡	Shoulders & Back		⚡	⚡	⚡	XL-2X, 2X-3X	OSHA & ANSI Z359.11-2014
Epic+	UFH10332G	5	Enhanced Back (Dorsal) & Sides		⚡	Chest	⚡	Shoulders & Back		⚡	⚡	⚡	XL-2X, 2X-3X	OSHA & ANSI Z359.11-2014
Element	UFH10801GQ	5, Revolta™ Oil and Water Repellent	Enhanced Back (Dorsal)		⚡	Chest				⚡	⚡	⚡	⚡	OSHA & ANSI Z359.11-2014
Element	UFH10700P	5, Arc Flash Rated	Back (Dorsal)	⚡					⚡			⚡		OSHA & ANSI Z359.11-2014
Element	UFH10701P	5, Arc Flash Rated	Back (Dorsal) & Sides	⚡					⚡			⚡		OSHA & ANSI Z359.11-2014
Element	UFH10731P	5, Arc Flash Rated	Back (Dorsal) & Sides	⚡			⚡	Removable Shoulders & Back	⚡			⚡		OSHA & ANSI Z359.11-2014
Element	UFH10732P	5, Arc Flash Rated	Back (Dorsal), Front & Sides	⚡			⚡	Removable Shoulders & Back	⚡			⚡		OSHA & ANSI Z359.11-2014

Harness Sizing Chart



BODY WEAR (Continued)

Kapture™ Element | Arc Flash Rated 5-point Adjustment | Available Sizes: Universal (S-L), L-XL

UFH10700P | Mating Buckle Legs & Chest



UFH10701P | Mating Buckle Legs & Chest, Side D-rings



Kapture™ Element | Arc Flash Rated 5-point Adjustment, Back/Shoulder Pad | Available Sizes: Universal (S-L), L-XL

UFH10731P | Padded Belt, MB Legs & Chest, Side D-rings



UFH10732P | Padded Belt, MB Legs & Chest, Front & Side D-rings



BODY WEAR (Continued)

Harness Accessories

UFZ800100 | 18" Clear Pack SAL with snap hook and D-ring



UFZ802001 | 18" Lanyard extender with snap hook, other end O-ring



UFZ802011 | D-ring Extender with Loop and O-Ring



Harness & Lanyard Combo Kits

UFK10010(S-L) | 3 pt. FBH, MB Legs, and 6' Internal SAL with Snap Hooks Size: S-L
UFK10010(L-XL) | 3 pt. FBH, MB Legs, and 6' Internal SAL with Snap Hooks Size: L-XL



UFK10015(S-L) | 3 pt. FBH, MB Legs, and 6' Internal SAL with Loop & Snap Hook Size: S-L
UFK10015(L-XL) | 3 pt. FBH, MB Legs, and 6' Internal SAL Loop & Snap Hook Size: L-XL



UFK10025(S-L) | 3 pt. FBH, MB Legs, and 6' Internal SAL Twin Leg 100% Tie Off with Loop & Rebar Hooks Size: S-L
UFK10025(L-XL) | 3 pt. FBH, MB Legs, and 6' Internal SAL Twin Leg 100% Tie Off with Loop & Rebar Hooks Size: L-XL



UFK20010(S-M) | 5 pt. FBH, MB Legs, and 6' Internal SAL with Snap Hooks Size: S-M
UFK20010(M-L) | 5 pt. FBH, MB Legs, and 6' Internal SAL with Snap Hooks Size: M-L
UFK20010(L-XL) | 5 pt. FBH, MB Legs, and 6' Internal SAL with Snap Hooks Size: L-XL



UFK20015(S-M) | 5 pt. FBH, MB Legs, and 6' Internal SAL with Loop & Snap Hook Size: S-M
UFK20015(M-L) | 5 pt. FBH, MB Legs, and 6' Internal SAL with Loop & Snap Hook Size: M-L
UFK20015(L-XL) | 5 pt. FBH, MB Legs, and 6' Internal SAL with Loop & Snap Hook Size: L-XL



UFK20025(S-M) | 5 pt. FBH, MB Legs, and 6' Internal SAL Twin Leg 100% Tie Off with Loop & Rebar Hooks Size: S-M
UFK20025(M-L) | 5 pt. FBH, MB Legs, and 6' Internal SAL Twin Leg 100% Tie Off with Loop & Rebar Hooks Size: M-L
UFK20025(L-XL) | 5 pt. FBH, MB Legs, and 6' Internal SAL Twin Leg 100% Tie Off with Loop & Rebar Hooks Size: L-XL



CONNECTORS

KStrong's extensive selection of connectors for fall arrest, work positioning and restraint applications is built on years of dependable construction, performance and quality through rigorous testing to provide your crew with ultimate protection. When you need to be connected, KStrong has the right equipment for the job!

Model	Length	Shock Absorption	Description	Model	Length	Shock Absorption	Description
A UFL201601	6 ft.	Clear Shock Pack	LE Rated with Snap Hooks	E UFL204101	6 ft.	Internal	Snap Hooks
B UFL201621	6 ft.	Clear Shock Pack	LE Rated Y with Snap Hooks	F UFL204111	6 ft.	Internal	Snap Hook & Rebar Hook
C UFL201611	6 ft.	Clear Shock Pack	LE Rated with Rebar Hook	G UFL204121	6 ft.	Internal	Y with Snap Hooks
D UFL201622	6 ft.	Clear Shock Pack	LE Rated Y with Rebar Hooks	H UFL204131	6 ft.	Internal	Y with Rebar Hooks

Energy Absorbing Lanyards | LE Rated for up to 12 ft. Free-fall



Energy Absorbing Lanyards | 6 ft. Internal Shock Absorption



CONNECTORS (Continued)

	Model	Length	Shock Absorption	Description
J	UFL206101	4.5 - 6 ft.	Internal - Elasticated	Snap Hooks
K	UFL206111	4.5 - 6 ft.	Internal - Elasticated	Snap Hook & Rebar Hook
L	UFL206121	4.5 - 6 ft.	Internal - Elasticated	Y with Snap Hooks
M	UFL206131	4.5 - 6 ft.	Internal - Elasticated	Y with Rebar Hooks
N	UFL206214	4.5 - 6 ft.	Internal - Elasticated	Aluminum Snap Hook & Rebar Hook
O	UFL206234	4.5 - 6 ft.	Internal - Elasticated	Y with Aluminum Rebar Hooks

Energy Absorbing Lanyards | Elasticated 4.5 ft. - 6 ft.



CONNECTORS (Continued)

Model	Length	Shock Absorption	Description	Model	Length	Shock Absorption	Description
P UFL201101(03)	3 ft.	Clear Shock Pack	Snap Hooks	V UFL201301	4.5 - 6 ft.	Clear Shock Pack	Adjustable with Snap Hooks
Q UFL201101	6 ft.	Clear Shock Pack	Snap Hooks	W UFL201331	4.5 - 6 ft.	Clear Shock Pack	Adjustable Y with Rebar Hooks
R UFL201111	6 ft.	Clear Shock Pack	Snap Hook & Rebar Hook	X UFL201402	6 ft.	Clear Shock Pack	Adjustable 4.5'-6' with snap hook and one tie-back hook
S UFL201121	6 ft.	Clear Shock Pack	Y with Snap Hooks	Y UFL201422	6 ft.	Clear Shock Pack	Y with Tie-back Hooks & Adjustable D-rings
T UFL201131	6 ft.	Clear Shock Pack	Y with Rebar Hooks				
U UFL201421	6 ft.	Clear Shock Pack	Y with Tie-back Hooks				

Energy Absorbing Lanyards | 6 ft. Clear Shock Pack



Energy Absorbing Lanyards | 4.5 - 6 ft. Adjustable with Clear Shock Pack



CONNECTORS (Continued)

Energy Absorbing Lanyards | 6 ft. Arc Flash



Model	Length	Shock Absorption	Description
Z UFL201701	6 ft.	Shock Pack	Dielectric Arc Flash Rated with snap hook & rebar hook
AA UFL201721	6 ft.	Shock Pack	Y Dielectric Arc Flash Rated with rebar hooks
AB UFL205201	6 ft.	N/A	Snap Hooks
AC UFL205215	4.5 - 6 ft.	N/A	Adjustable with Forged Steel Snap Hooks
AD UFL205211	4.5 - 6 ft.	N/A	Adjustable with Snap Hooks
AE UFL205201(02)	2 ft.	N/A	Snap Hooks
AF UFL205201(03)	3 ft.	N/A	Snap Hooks
AG UFL205401		N/A	WPL Chain Assembly
AH UFL205251		N/A	WPL Web Assembly

Work Positioning Lanyards



Work Positioning Devices



CONNECTORS (Continued)

Carabiners

UFC401100 | Steel Carabiner with .84" gate opening



UFC401110 | Small Steel Carabiner with 1" gate opening



UFC408120 | Steel Carabiner with 2" gate opening



UFC408450 | Large Aluminum Rebar Hook with 2" gate opening



UFC401400 | Aluminum Bulb Type Carabiner with .67" gate opening



UFC401101 | Oval Steel Carabiner with .67" gate opening



UFC404450 | Small aluminum quarter turn locking carabiner with swivel load indicator



UFC404500 | Steel Swivel Snap hook with load indicator



UFC404150 | Stamped Steel Snap Hook



UFC405100 | Tie-back snap hook with 5000 lb. rated gate.



UFC408100 | Large rebar hook, stamped - 2.63" opening




Vertical Ascent

Polysteel 5/8" Rope

UFR100025 | 25 ft., **UFR100050** | 50 ft.,
UFR100100 | 100 ft., **UFR100200** | 200 ft.,
UFR100500 | 500 ft.



UFG601010 | Anti-panic Self-tracking Rope Grab for 5/8" Rope



UFG611020 | Manual 3 ft. Shock Absorbing Rope Grab Assembly



UFG611010 | 3' Self tracking non-captive openable shock absorbing rope grab assembly. For use on 5/8" rope.



White Polydac Rope

UFR200025 | 25 ft., **UFR200050** | 50 ft.,
UFR200100 | 100 ft., **UFR200200** | 200 ft.,
UFR200500 | 500 ft.



White Polydac Rope w/ 2 Snap Hooks
UFR210025 | 25 ft., **UFR210050** | 50 ft.,
UFR210100 | 100 ft., **UFR210200** | 200 ft.



UFG602050 | Stainless Steel Cable Grab for 8mm Wire Rope with 7x19 Construction. Attachable/Detachable at any Point on Lifeline. Includes Attachment Carabiner.



ANCHORAGES

Selecting an appropriate anchorage connector for your fall arrest system is a critical element in protecting yourself and others from fall hazards. Designed to fit a broad scope of general and specific user applications, our offering of anchorage connectors meets those requirements head-on by providing a secure point of attachment. Fall arrest anchors are identified by what they connect such as steel anchors, concrete anchors, roof anchors and specialty safety anchors designed for your unique applications. Your crew can work with confidence knowing each connector is rigorously tested and meets or exceeds industry standards.

Anchors | Concrete & Steel

UFA30090 | 3/4" Removable Bolt Anchor for Concrete



UFA30080 | Removable Steel Girder Anchor




UFASWK58 | 10K Swivel Anchor Steel Kit w/ 5/8 x 4" G8 Steel Bolt Lockwasher & Locknut



UFA30050 | Steel weld-on or bolt-on anchor point



UFA30301 | Bolt-on steel two hole d-ring anchor



Roofing

UFB501125 - Roofers Boxed Kit with 3-point Adjustable Harness (size L- XL), 25 ft. Vertical 5/8" Diameter Polysteel Lifeline with snap hook on anchor end, other end folded with heat shrink cover, 3 ft. shock absorbing rope grab assembly, and reusable hinged roof anchor (ANSI).



UFB101025 - 25 ft. Rope | **UFB101050** - 50 ft. Rope
Roofers Kit with 5-point Adjustable Harness (size L- XL), 25 ft. or 50 ft. Vertical 5/8" Diameter Polysteel Lifeline with snap hook on anchor and, other end taped, 3 ft. shock absorbing rope grab assembly, reusable hinged roof anchor, storage bucket and lid (ANSI)



ANCHORAGES (Continued)

Roofing

UFA30015 | Single Use Steel, Raised



UFA30001 | Hinged Reusable



Riser Post Roof Anchor for Concrete Decks
UFA55207SW(12) - 12"
UFA55207SW(18) - 18"



UFA000WT | Wood Truss Anchor / 1,800lbf



UFA30010 | Single Use Steel



UFA30020 | Permanent Use Stainless Steel



UFA30005 | Reusable heavy duty chain roof anchor



UFA30211 | Stand Alone Post for SRL on Standing Trapezoidal Metal Roof Deck; 360° rotation



UFA55370 | Single Seam Roof Anchor



UFA30201 | Stand Alone Post for SRL on Standing Seam Metal Roof Deck; Seam Widths Ranging from 24" - 36"; 360° rotation



Specialty Anchors

UFA30430 - Vertical Post for Containers



UFDA0472 | 5K Drop Thru Anchor with Swivel D-ring- 4" Round Plate with 6' Cable



UFA30070 | Parapet Anchor Clamp with Extended Movable Arm



ANCHORAGES (Continued)

Anchors | I-beam

UFA30110 | I-beam anchor, Adjustable to fit flange widths of 3.5" to 14"



UFA30115 | I-beam anchor, Adjustable to fit flange widths of 3.5" to 6"



UFA30130 | Aluminum and Steel Rolling Beam Anchor, adjustable 3.14" - 9.84"



Anchors | Wire Cable Slings

Wire Cable Sling, large and small O-rings



Model	Length
UFA710103	3 ft.
UFA710104	4 ft.
UFA710106	6 ft.

Wire Cable Sling with snap hook and large O-ring



Model	Length
UFA710003	3 ft.
UFA710004	4 ft.
UFA710006	6 ft.

Multipurpose

Choker Style Anchor Strap with Wear Pad



Model	Length
UFA20003	3 ft.
UFA20004	4 ft.
UFA20006	6 ft.
UFA20010	10 ft.
UFA20016	16 ft.
UFA20024	24 ft.
UFA20030	30 ft.

Concrete Embed Anchor Straps

With Loop and D-Ring



Model	Length
UFA20504	4 ft.
UFA20506	6 ft.

With Loops on Both Ends




Model	Length
UFA21004	4 ft.
UFA21006	6 ft.

ANCHORAGES (Continued)

Door Jamb/Window Anchor

UFA30401 | Door Jamb/Window Anchor, adjustable 23.6" - 49.2"

- KStrong Door Anchor provides a non-intrusive anchor point and can be easily installed inside the interior of a building or window opening enabling the most difficult jobs to get done safely and with confidence.
- KStrong Door Anchor can be installed by just compressing it against the door or window frame, jamming itself between the two vertical sides.
- It is constructed of Aluminum alloy, hence it is highly corrosion resistant and is lightweight, weighing less than 10.7 lbs.
- The arms of the KStrong Door Anchor are adjustable enabling installation on door/window frames of width from 23.62" to 49.21".
- Fast and easy Installation with built in adjustment knob hence no tools or drilling is required.
- Extremely portable design for easy transport, storage and usage. Every Door Anchor is provided with a deluxe carrying bag.



**60 FT.
ADJUSTABLE**
HANDY LINE™
2-PERSON TEMPORARY HORIZONTAL LIFELINE

UFA40110 | KStrong® Handy Line™ 60 ft. Adjustable
2-Person Temporary Horizontal Lifeline System

ADDITIONAL PRODUCTS

In addition to anchorages, body wear, connectors and devices, KStrong, also provides fall protection solutions for Confined Space Entry, Horizontal Lifeline systems, plus our evolving selection of Dropped Tool Prevention solutions.

Horizontal System

UFA40010 | KStrong® Wrangler™ 100 ft. Adjustable 4-Person Capacity Lightweight Quick Set-up Horizontal Lifeline System. Includes installation carabiner at each end, tension indicator, and two (2) UFA20006 6 ft. anchor straps.



**100 FT.
ADJUSTABLE**
WRANGLER™
4-PERSON TEMPORARY HORIZONTAL LIFELINE

Rescue and Descent



Model	Description
A UFT510010	10 ft. Adjustable Height Tripod with Dual Built-in Pulley Head Assembly
A UFT510007	7 ft. Adjustable Height Tripod with Dual Built-in Pulley Head Assembly
B UFT530060	60 ft. Winch
C UFT531130	100 ft. Winch
D UFS310060R	BRUTE™ 60 ft. 3-way SRL-R
E UFS310100R	BRUTE™ 100 ft. 3-way SRL-R
F UFT510010B	Mounting Bracket for 3-way SRL
Kit UFT510010DK	10 ft. Deluxe Kit. Includes Tripod, 60 ft. 3-way Rescue Retrieval SRL-R with Mounting Bracket, 60 ft. Material / Personnel Winch, and Storage Bags for Tripod / Equipment.
Kit UFT510010BK	10 ft. Basic Kit. Includes Tripod, 60 ft. Material / Personnel Winch, and Storage Bags for Tripod / Winch.

ADDITIONAL PRODUCTS (Continued)

Rescue and Descent Davits



Model	Description
A UFT55101DK	Megadavit™ H-Base Deluxe Kit. Includes H-Base Frame Assembly, 54 in. Column Mast, 3 ft. Cantilever Boom Arm with Winch Bracket, 60 ft. 3-way Rescue Retrieval SRL-R with Mounting Bracket, and 60 ft. Material / Personnel Winch
UFT55101BK	Megadavit™ H-Base Basic Kit. Includes H-Base Frame Assembly, 54 in. Column Mast, and 3 ft. Cantilever Boom Arm with Winch Bracket
B UFT555001	Megadavit™ H-Base Frame Assembly (High Strength Aluminum Alloy)
C UFT556201	Megadavit™ 54 in. Column Mast (High Strength Aluminum Alloy)
D UFT556101	Megadavit™ 36 in. Column Mast (High Strength Aluminum Alloy)
E UFT556001	Megadavit™ 3 ft. Cantilever Boom Arm with Winch Bracket (High Strength Aluminum Alloy)
F UFT555101	Megadavit™ Floor Mount Column Mast Receiver (SS316)
G UFT555201	Megadavit™ Wall Mount Column Mast Receiver (SS316)
H UFT555002	Megadavit™ Concrete Embed Column Mast Receiver (SS316)

ADDITIONAL PRODUCTS (Continued)

Rescue and Descent Davits



Model	Description
J UFT551080DK	Side Entry Davit Assembly Deluxe Kit with 60 ft. 3-way Rescue Retrieval SRL-R with Mounting Bracket
UFT551080	Side Entry Davit Assembly with Retrieval Device Bracket (High Strength Aluminum Alloy)
K UFT551021DK	Megadavit™ Floor Mount Deluxe Kit. Includes Floor Mount Column Mast Receiver, 54 in. Column Mast, 3 ft. Cantilever Boom Arm with Winch Bracket, 60 ft. 3-way Rescue Retrieval SRL-R with Mounting Bracket, and 60 ft. Material / Personnel Winch
UFT551021BK	Megadavit™ Floor Mount Basic Kit. Includes Floor Mount Column Mast Receiver, 54 in. Column Mast, and 3 ft. Cantilever Boom Arm with Winch Bracket
L UFT551031DK	Megadavit™ Wall Mount Deluxe Kit. Includes Wall Mount Column Mast Receiver, 54 in. Column Mast, 3 ft. Cantilever Boom Arm with Winch Bracket, 60 ft. 3-way Rescue Retrieval SRL-R with Mounting Bracket, and 60 ft. Material / Personnel Winch
UFT551031BK	Megadavit™ Wall Mount Basic Kit. Includes Wall Mount Column Mast Receiver, 54 in. Column Mast, and 3 ft. Cantilever Boom Arm with Winch Bracket

DROP PREVENTION

Kaptor™ Drop Prevention

KAPTOR™ DROP PREVENTION

DL100021 | Locking Single Carabiner - 22 lbs. ANSI Rated



DL100022 | Dual Leg Locking Single Carabiner - 22 lbs. ANSI Rated



DA300411 | Wrist Tool Lanyard - 2 lbs.



DA300401 | Pull-On Wrist Lanyard with Buckle - 3 lbs.



DA300201 | Small Tool/Radio Holster



DA300301 | Tape Measure Trap



DA300101 | Elastic Hard Hat Lanyard w/ Clamp - 2 lbs.



DT700101 | Self-Adhering Tape Trap - 12 ft. Roll



DROP PREVENTION (Continued)

Kaptor™ Kits

DK400101 | Tool Tethering Kit - 5 lbs. Consists of DL100201 in standard pack of 3, DL100401 in standard pack of 1, DT700101 in standard pack of 1



Tool Tethering Kits (DT700101 and DL100501 plus corresponding Web Tool Tail)

DK400151(S) | Web Tool Tail, 3 lbs. S - 2.5 inches



DK400152(M) | Web Tool Tail, 3 lbs. M - 4.5 inches



DK400153(L) | Web Tool Tail, 3 lbs. L - 5.5 inches



DK400154(XL) | Web Tool Tail, 3 lbs. XL - 6.5 inches



DK400201 | Tape Measure Coil Tethering Kit - 2 lbs. Consists of DL100501 & DA300301 in standard pack



DK400301 | Tape Measure Lanyard Tethering Kit - 2 lbs. Consists of DL100401 & DA300301 in standard pack



DK400155(2XL) | Web Tool Tail, 3 lbs. 2XL - 8.5 inches



DROP PREVENTION (Continued)

Kaptor™ Tool Lanyards

UDL100012 | Dual Leg - 10 lbs.



DL100021 | Locking Single Carabiner - 22 lbs. ANSI Rated



DL100022 | Dual Leg Locking Single Carabiner - 22 lbs. ANSI Rated



DL100041 | Tool Lanyard Single Carabiner with Web Loop - 22 lbs.



DL100042 | Dual Leg Tool Lanyard Single Carabiner with Web Loops - 22 lbs.



DL100701 | Hook to Loop Bungee Tool Tether - 35 lbs.



DL100711 | Hook 2 Loop Tool Tether, Heavy Duty - 80 lbs.



DL100501 | Coiled Cable Lanyard - 2 lbs.



DL100601 | Clip2Loop Coil Tether, 10 Pack



DL100801 | Wire Loop Tool Tail - 2 lbs. (6-Pack)



DL100802 | Wire Screw Gate Tool Tail - 3 lbs. (6-Pack)



DL100401 | Detachable Elasticated Single Screwgate Carabiner - 5 lbs.



DL100400 | Detachable Elasticated Single Screwgate Carabiner (without Loop) - 5 lbs.



DL100201 | Accessory Kit - Detachable Loops 3-pack



DL100611 | D-Ring with Cord Loop, Attachment Points 10-pack



DROP PREVENTION (Continued)

Kaptor™ Tool Lanyards

DL100101 | Elastic Loop Tool Tails Ext - 15 lbs. 3-pack



3-Pack

DL100151 | Elastic Loop Tool Tails Swivel - 10 lbs. 3-pack



3-Pack

DL100301 | Web Tool Tails, 3 lbs. 6-Pack S - 2.5 inches



6-Pack

DL100302 | Web Tool Tails, 3 lbs. 6-Pack M - 4.5 inches



6-Pack

DL100303 | Web Tool Tails, 3 lbs. 6-Pack L - 5.5 inches



6-Pack

DL100304 | Web Tool Tails, 3 lbs. 6-Pack XL - 6.5 inches



6-Pack

DL100305 | Web Tool Tails, 3 lbs. 6-Pack 2XL - 8.5 inches



6-Pack

DL100351 | Web Tool Tails with Swivel, 3 lbs. 6-pack S - 2.5 inches



6-Pack

DL100352 | Web Tool Tails with Swivel, 3 lbs. 6-pack M - 4.5 inches



6-Pack

DL100353 | Web Tool Tails with Swivel, 3 lbs. 6-pack L - 5.5 inches



6-Pack

DL100354 | Web Tool Tails with Swivel, 3 lbs. 6-pack XL - 6.5 inches



6-Pack

DL100355 | Web Tool Tails with Swivel, 3 lbs. 6-pack 2XL - 8.5 inches



6-Pack

DL200301 | Tool Cinch, Medium Duty, 35 lbs.



DL200311 | Tool Cinch, Single Wing, Medium Duty, 35 lbs.



DL200101 | Tool Cinch, Dual Wing, Medium Duty, 35 lbs.



DL200201 | Tool Cinch, Dual Wing, Medium Duty, 80 lbs.



ADDITIONAL PRODUCTS

Ladder Rescue System

UFR1018B | 18 ft. ladder with belay system



Ladder Climbing System for Fixed Ladders

- Consists of a vertical anchorage line made of stainless steel wire rope installed on a ladder using appropriate mounting brackets.
- Stainless steel rope grab UFG602050 moves along with the user climbing up or down and locks them in case of fall.



Model	Length	Model	Length
USCLC020	20 ft.	USCLC080	80 ft.
USCLC030	30 ft.	USCLC090	90 ft.
USCLC040	40 ft.	USCLC0100	100 ft.
USCLC050	50 ft.	USCLC0130	130 ft.
USCLC060	60 ft.	USCLC0160	160 ft.
USCLC070	70 ft.	USCLC0200	200 ft.

UFF516000
KStrong® Ladder
Extension Davit Kit for
Fixed Ladders



THIS. IS. A. GAME CHANGER!

Your KStrong® fall protection gear just got an upgrade like no other.

KStrong Compass™ is a cloud-based software app which relieves the user from a mountain of paper records. The unique AIR system (Automated Inspection Reminder system) reminds a user of a pending competent person inspection that is required to minimize accidents that may happen due to equipment that has not been properly inspected.



Watch Demo Inspection Video
Scan with Camera



Compass™ Product Example
Scan with Camera

Compass™ Features

Introducing KStrong Compass™, the fall protection industry's first "free at your fingertips" mobile application for fall protection equipment asset management.

Pre-Use Inspection Instructions

The mobile app provides each user vital information on inspection and periodic maintenance needs and helps in increasing the life of the equipment.

Get Tech Data & Manuals

User Instruction Manuals, Technical Data Sheets, Declarations of Conformity, Product Images, Videos, PowerPoint presentations and more are available.

Track Usage

The KStrong Compass™ user management system allows equipment to be issued to individuals, thus ensuring accountability towards the upkeep of the equipment.




Use in the Field

If you have an IOS or ANDROID phone or device, that is all you need. Simply open the camera on your phone or device and scan the QR code, Label or RFID tag that is included with every KStrong product.



Get Reminders

The unique AIR system (Automated Inspection Reminder) reminds a user of a pending competent person inspection that is required to minimize accidents due to equipment that has not been properly inspected.



QUICK INDEX

Part Number	Page No.	Part Number	Page No.	Part Number	Page No.	Part Number	Page No.	Part Number	Page No.	Part Number	Page No.
DA300101	34	UFA20010	29	UFC408100	26	UFL201101(03)	24	UFS310018L	6	UFT510010DK	31
DA300201	34	UFA20016	29	UFC408120	26	UFL201111	24	UFS310020	2	UFT530060	31
DA300301	34	UFA20024	29	UFC408450	26	UFL201121	24	UFS310025L	6	UFT531130	31
DA300401	34	UFA20030	29	UFC409151	9	UFL201131	24	UFS310030	2	UFT551011BK	32
DA300411	34	UFA20504	29	UFD40472	28	UFL201301	24	UFS310050	2	UFT551011DK	32
DK400101	35	UFA20506	29	UFF516000	38	UFL201331	24	UFS310050L	6	UFT551021BK	33
DK400151(S)	35	UFA21004	29	UFG601010	26	UFL201402	24	UFS310060R	31	UFT551021DK	33
DK400152(M)	35	UFA21006	29	UFG602050	26	UFL201421	24	UFS310080L	6	UFT551031BK	33
DK400153(L)	35	UFA30001	28	UFG611010	26	UFL201422	24	UFS310100	2	UFT551031DK	33
DK400154(XL)	35	UFA30005	28	UFG611020	26	UFL201601	22	UFS310100R	31	UFT551080	33
DK400155(2XL)	35	UFA30010	28	UFH10101G	10	UFL201611	22	UFS310130	3	UFT551080DK	33
DK400201	35	UFA30015	28	UFH10101P	10	UFL201621	22	UFS310150	3	UFT555001	32
DK400301	35	UFA30020	28	UFH10102G	11	UFL201622	22	UFS310206L	7	UFT555002	32
DL100021	36	UFA30050	27	UFH10102P	11	UFL201701	25	UFS310206LD	7	UFT555101	32
DL100022	36	UFA30070	28	UFH10131G	10	UFL201721	25	UFS314006L	7	UFT555201	32
DL100041	36	UFA30080	27	UFH10131P	10	UFL204101	22	UFS314006LD	7	UFT556001	32
DL100042	36	UFA30090	27	UFH10201G	12	UFL204111	22	UFS316100L	7	UFT556101	32
DL100101	37	UFA30110	29	UFH10201P	12	UFL204121	22	UFS316106LD	7	UFT556201	32
DL100151	37	UFA30115	29	UFH10211G	13	UFL204131	22	UFS319006L	7	UFZ800100	21
DL100201	36	UFA30130	29	UFH10231G	12	UFL205201	25	UFS319006LD	7	UFZ801001	16
DL100301	37	UFA30201	28	UFH10231P	12	UFL205201(02)	25	UFS330008	2	UFZ801011	17
DL100302	37	UFA30211	28	UFH10251G	13	UFL205201(03)	25	UFS350002	5	UFZ801012	17
DL100303	37	UFA30301	27	UFH10251P	13	UFL205211	25	UFS350002D	5	UFZ802001	21
DL100304	37	UFA30401	30	UFH10331G	16	UFL205215	25	UFS350011	3	UFZ802011	21
DL100305	37	UFA30430	28	UFH10331P	16	UFL205251	25	UFS350025	3	UFZ840010	17
DL100351	37	UFA40010	31	UFH10332G	16	UFL205401	25	UFS351102	5	UFZ840020	17
DL100352	37	UFA40110	30	UFH10332P	16	UFL206101	23	UFS351102D	5	UFZ850100	13
DL100353	37	UFA55207SW(12)	28	UFH10341G	17	UFL206111	23	UFS354002	5	USCLC0100	38
DL100354	37	UFA55207SW(18)	28	UFH10700P	20	UFL206121	23	UFS354002D	5	USCLC0130	38
DL100355	37	UFA55370	28	UFH10701P	20	UFL206131	23	UFS356002	5	USCLC0160	38
DL100401	36	UFA710003	29	UFH10731P	20	UFL206214	23	UFS356002D	5	USCLC0200	38
DL100501	36	UFA710004	29	UFH10732P	20	UFL206234	23	UFS359002	5	USCLC0200	38
DL100601	36	UFA710006	29	UFH10801GQ	17	UFR100025	26	UFS359002D	5	USCLC0300	38
DL100611	36	UFA710103	29	UFH152011GQ	15	UFR100050	26	UFS359506	4	USCLC0400	38
DL100701	36	UFA710104	29	UFH15201GQ	14	UFR100100	26	UFS359506D	4	USCLC0500	38
DL100711	36	UFA710106	29	UFH15201Q	15	UFR100200	26	UFS480020	8	USCLC0600	38
DL100801	36	UFASWK58	27	UFH15203GQ	13	UFR100500	26	UFS480020L	8	USCLC0700	38
DL100802	36	UFB101025(L-XL)	27	UFH15231GQ	15	UFR1018B	38	UFS480025L	8	USCLC0800	38
DL200101	37	UFB101050(L-XL)	27	UFH15231Q	15	UFR200025	26	UFS480030	8	USCLC0900	38
DL200201	37	UFB501125(L-XL)	27	UFH16201GP	11	UFR200050	26	UFS480050	8		
DL200301	37	UFC401100	26	UFH16231GP	11	UFR200100	26	UFS480050L	8		
DL200311	37	UFC401101	26	UFK10010	21	UFR200200	26	UFS5700100	9		
DT700101	34	UFC401110	26	UFK10015	21	UFR200500	26	UFS570030	9		
UDL100012	36	UFC401400	26	UFK10025	21	UFR210025	26	UFS570060	9		
UFA000WT	28	UFC404150	26	UFK20010	21	UFR210050	26	UFT510007	31		
UFA20003	29	UFC404450	26	UFK20015	21	UFR210100	26	UFT510010	31		
UFA20004	29	UFC404500	26	UFK20025	21	UFR210200	26	UFT510010B	31		
UFA20006	29	UFC405100	26	UFL201101	24	UFS310010	2	UFT510010BK	31		



KStrong Inc.

Address:

150 N. Radnor Chester Road Suite F200
Radnor, Pennsylvania 19087

Hours of Operation:

8am - 8pm EST

Phone/Fax:

1-833-KSTRONG

Website:

www.KStrong.com

Last Revision Date: June 14, 2022

Proud Members of:



AMERICAN SOCIETY OF
SAFETY PROFESSIONALS

